



US00D882509S

(12)

United States Design Patent

Schultz et al.

(10)

Patent No.:

US D882,509 S

(45)

Date of Patent:

** Apr. 28, 2020

(54) TIRE

(71) Applicant: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(72) Inventors: **David E. Schultz**, Stow, OH (US);
Omar R. Cuata, Uniontown, OH (US)

(73) Assignee: **Bridgestone Americas Tire Operations, LLC**, Nashville, TN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/680,648**

(22) Filed: **Feb. 19, 2019**

(51) **LOC (12) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/604**

(58) **Field of Classification Search**
USPC D12/568–604
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D418,783 S	*	1/2000	Lassan		D12/589
D422,246 S		4/2000	Fierro et al.		
D437,264 S	*	2/2001	Lassan		D12/589
D451,455 S	*	12/2001	Helt		D12/600
D481,353 S		10/2003	Oliver et al.		
D584,679 S		1/2009	Radulescu		
D592,590 S		5/2009	Janesh et al.		
D602,853 S		10/2009	Nopper et al.		
D610,529 S		2/2010	Tobino et al.		
D615,922 S		5/2010	Takano		
D661,640 S		6/2012	Krier		
D661,642 S	*	6/2012	Krupa		D12/600

D662,458 S		6/2012	De Benedittis et al.	
D685,724 S		7/2013	Jacobs	
D686,973 S		7/2013	Otani	
D710,295 S		8/2014	Bortolet et al.	
D736,697 S	*	8/2015	Leocadio	 D12/588
D746,223 S	*	12/2015	Hutz	 D12/588
D772,151 S		11/2016	Kang	
D781,221 S		3/2017	Oji	
D795,172 S	*	8/2017	Covey	 D12/588
D810,007 S	*	2/2018	Lundgren	 D12/604
D812,547 S		3/2018	Rade	
D815,024 S	*	4/2018	Flynn	 D12/604
D818,942 S		5/2018	Parr et al.	
D818,943 S	*	5/2018	McKenney	 D12/604
D830,290 S		10/2018	Kojima	
D832,198 S		10/2018	Schultz et al.	

(Continued)

Primary Examiner — Brandon M Rosati
Assistant Examiner — John A Voytek


(57) **CLAIM**

The ornamental design for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of an embodiment of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown; FIG. 2 is a front elevational view thereof; FIG. 3 is an enlarged fragmentary front elevational view of FIG. 2; and, FIG. 4 is a side elevational view of the left side thereof, the opposite side being the same as that shown. In the drawings, the solid line tire tread comprises the claim. The broken lines defining the sidewall, inner bead, shoulder portions, tread groove walls and the peripheral boundary between the claimed tire tread and the sidewall depict environmental subject matter that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D843,314 S	*	3/2019	Xiang	D12/595
D850,360 S	*	6/2019	Davenport	D12/600
D853,948 S	*	7/2019	Wang	D12/601

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4