



US00D882537S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,537 S**
MacDonald et al. (45) **Date of Patent:** **** Apr. 28, 2020**

(54) **CIRCUIT CUBE**

(71) Applicant: **Tenka Inc.**, Willits, CA (US)

(72) Inventors: **Nathaniel W. MacDonald**, Mill Valley, CA (US); **John F Schuster**, San Francisco, CA (US)

(73) Assignee: **Tenka, Inc.**, Willits, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/702,952**

(22) Filed: **Aug. 22, 2019**

Related U.S. Application Data

(62) Division of application No. 29/609,479, filed on Jun. 30, 2017, now Pat. No. Des. 864,131.

(51) **LOC (12) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**

USPC D13/182; 174/68.1, 250, 253, 255, 256;
318/567, 568.1; 361/600, 601, 718, 719,
361/720, 728, 736, 748, 751, 760, 761,
361/807; 439/55, 65, 68, 76.1, 93, 95
CPC H05K 3/00; H05K 3/30; H05K 3/301;
H05K 3/303; H05K 3/34; H05K 3/3405;
H05K 3/341; H05K 3/36; H05K 3/361;
H05K 3/363; H05K 3/40; H05K 7/14;
H05K 7/1422; H05K 7/00; H05K 1/18;
H05K 1/02; H05K 1/181; H05K 1/182;
H05K 1/183; H05K 1/184; H05K 1/189;
H05K 1/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,896,033 A 7/1959 Hartz
3,072,734 A 1/1963 Fox et al.

3,225,460 A * 12/1965 Randell A63F 9/24
434/236
3,346,775 A * 10/1967 Christiansen H05K 1/0286
361/738
3,553,883 A * 1/1971 Fischer A63H 33/042
446/91
3,696,548 A 10/1972 Teller
D292,698 S 11/1987 Devita et al.
D359,476 S 6/1995 Sakashita et al.
D396,449 S 7/1998 Taylor
D397,093 S 8/1998 Kim
5,908,328 A 6/1999 Chen
D428,860 S 8/2000 Siperek
D429,704 S 8/2000 Kang et al.
D430,856 S 9/2000 Wilkerson
D442,567 S 5/2001 Kang
D465,772 S 11/2002 Poulter et al.
D466,093 S 11/2002 Ebihara et al.
D471,167 S 3/2003 Ebihara et al.

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — TraskBritt

(57)

CLAIM

The ornamental design for a circuit cube, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a circuit cube, showing our new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a front view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a left view thereof; and,

FIG. 7 is a right view thereof.

The broken lines shown in the drawings represent portions of the circuit cube that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,814,626 B2 * 11/2004 Wen-Yao H01R 13/7036
439/515
D552,048 S 10/2007 He
D556,158 S 11/2007 Kong
7,611,357 B2 11/2009 Han et al.
D605,613 S 12/2009 Carter et al.
D639,756 S 6/2011 Greene, Jr.
D642,546 S 8/2011 Greene, Jr.
D647,072 S 10/2011 Bentley
D676,004 S 2/2013 Lyubachev
D691,101 S 10/2013 Ishizawa et al.
8,651,913 B1 2/2014 Lin
8,690,631 B2 4/2014 Nag
8,764,507 B2 * 7/2014 Lin A63H 33/042
446/91
D725,054 S * 3/2015 Mertler D13/182
9,017,132 B2 4/2015 Lin
D730,849 S * 6/2015 Aromin D13/182
9,128,661 B2 * 9/2015 Zilber A63F 13/80
9,209,560 B2 12/2015 Wei
D753,073 S 4/2016 Sponring
9,457,287 B1 10/2016 Lin et al.
D794,586 S 8/2017 Takahashi et al.
9,755,356 B1 9/2017 Kim et al.

D799,438 S 10/2017 Takahashi et al.
D804,437 S 12/2017 Kantor et al.
D806,181 S * 12/2017 Johannsen D21/500
9,914,065 B2 3/2018 Almog et al.
D824,344 S 7/2018 Podubni
D824,345 S 7/2018 Podubni
D826,186 S 8/2018 Podubni
D826,187 S 8/2018 Podubni
D826,188 S 8/2018 Podubni
D826,189 S 8/2018 Podubni
D826,190 S 8/2018 Podubni
D826,191 S 8/2018 Podubni
D826,192 S 8/2018 Podubni
D826,193 S 8/2018 Podubni
D826,194 S 8/2018 Podubni
D826,195 S 8/2018 Podubni
D826,196 S 8/2018 Podubni
10,335,702 B2 * 7/2019 Almog A63H 33/042
10,411,424 B2 * 9/2019 Lin A63H 33/08
D864,131 S * 10/2019 MacDonald D13/182
2008/0166926 A1 * 7/2008 Seymour E04B 2/06
439/701
2009/0268390 A1 * 10/2009 King G06F 13/409
361/679.33
2011/0143629 A1 * 6/2011 Seymour A63H 33/04
446/91

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D882,537 S
APPLICATION NO. : 29/702952
DATED : April 28, 2020
INVENTOR(S) : Nathaniel W. MacDonald and John F. Schuster

Page 1 of 1


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

In ITEM (72) change "John F Schuster" to --John F. Schuster--

In DESCRIPTION Line 8 change "thereof; and," to --thereof; and--

Signed and Sealed this
Thirtieth Day of June, 2020



Andrei Iancu
Director of the United States Patent and Trademark Office