



US00D882690S

(12) **United States Design Patent** (10) **Patent No.:** **US D882,690 S**
Tsuchiya et al. (45) **Date of Patent:** **** Apr. 28, 2020**

(54) **CONTROLLER FOR COMPUTER**

(71) Applicant: **NINTENDO CO., LTD.**, Kyoto (JP)
(72) Inventors: **Hitoshi Tsuchiya**, Kyoto (JP);
Fumiyoshi Suetake, Kyoto (JP); **Yui Ehara**, Kyoto (JP); **Yuko Zenri**, Kyoto (JP); **Junichiro Miyatake**, Kyoto (JP); **Tetsuya Akama**, Kyoto (JP)

(73) Assignee: **Nintendo Co., Ltd.**, Kyoto (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/645,664**

(22) Filed: **Apr. 27, 2018**

Related U.S. Application Data

(62) Division of application No. 29/595,214, filed on Feb. 27, 2017, now Pat. No. Des. 819,641.

(30) **Foreign Application Priority Data**

Aug. 30, 2016 (JP) 2016-018401
Aug. 30, 2016 (JP) 2016-018402
Aug. 30, 2016 (JP) 2016-018403
Aug. 30, 2016 (JP) 2016-018404
Aug. 30, 2016 (JP) 2016-018405
Aug. 30, 2016 (JP) 2016-018406
Aug. 30, 2016 (JP) 2016-018407

(51) **LOC (12) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/333**

(58) **Field of Classification Search**
USPC D21/324, 333; D14/218, 356, 387, 388,
D14/389, 390, 399-406, 412-416, 426,
D14/429, 443, 448, 449, 450, 454, 471,
D14/496, 511; D12/174, 177;
D13/164-168
CPC A63F 13/00; A63F 13/10; A63F 13/02;
A63F 13/06; A63F 13/04
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D362,030 S 9/1995 Chan
5,551,693 A 9/1996 Goto
D409,692 S * 5/1999 DeAngelis D21/566
5,923,317 A 7/1999 Sayler
D445,859 S 7/2001 Pitsenberger
(Continued)

OTHER PUBLICATIONS

“Nintendo Switch Pro Controller”, posted Feb. 21, 2017 [online], [retrieved Sep. 27, 2019]. Retrieved from internet, https://www.youtube.com/watch?v=e-QV9puFbvo.*

(Continued)

Primary Examiner — Sandra S Snapp

Assistant Examiner — Mehri F Bajoul

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye PC


(57) **CLAIM**

The ornamental design for a controller for computer, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view of a controller for computer showing our new design;
FIG. 2 is a back side perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a right view thereof; and,
FIG. 8 is a left view thereof.
The broken lines shown in the drawings depict portions of the controller for computer that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D487,466 S 3/2004 Yokota
 D521,015 S * 5/2006 Hayes D14/401
 D523,105 S 6/2006 Bernacchi
 D538,998 S 3/2007 Henry
 7,235,017 B2 6/2007 Clemm
 D563,480 S * 3/2008 Blaseflug D14/401
 D565,668 S * 4/2008 Baseflug D14/401
 D568,546 S 5/2008 Mehrabani
 D570,349 S 6/2008 Ashida
 D571,368 S * 6/2008 Salter D14/401
 D571,806 S 6/2008 Goto
 D581,422 S * 11/2008 Hayes D14/401
 D590,900 S 4/2009 Sass
 D594,515 S 6/2009 Giblin
 D600,758 S 9/2009 Sutherland
 D620,940 S 8/2010 Claussen
 7,767,553 B2 8/2010 Tanaka
 D642,067 S 7/2011 Azar
 D646,275 S * 10/2011 Ikeda D14/401
 D652,463 S 1/2012 Hoff
 D652,879 S 1/2012 Vigness
 D658,179 S * 4/2012 Ikeda D14/401
 D664,616 S 7/2012 Page
 D668,307 S 10/2012 Grimm
 D692,000 S * 10/2013 Ibuki D14/401
 D692,001 S * 10/2013 Ibuki D14/401
 D692,887 S * 11/2013 Ibuki D14/401
 D693,345 S * 11/2013 Ibuki D14/401
 D694,830 S * 12/2013 Crowley D14/401
 D700,182 S 2/2014 Kidakarn
 D708,615 S 7/2014 Delrue
 D709,498 S 7/2014 Morris
 D709,499 S * 7/2014 Morris D14/401
 D709,882 S 7/2014 Morris
 D711,880 S 8/2014 Bellinghausen
 D712,972 S * 9/2014 Sumii D14/401
 D715,362 S 10/2014 He
 D715,865 S 10/2014 Morris
 D726,726 S 4/2015 Bellinghausen
 D727,430 S * 4/2015 Sumii D14/410
 9,017,168 B2 * 4/2015 Lee A63F 13/06
 463/37
 D733,140 S * 6/2015 Sumii D14/401
 D740,825 S 10/2015 Bellinghausen
 D745,607 S 12/2015 Jones
 D750,082 S * 2/2016 Mar D14/401
 D754,128 S 4/2016 Bellinghausen
 D764,597 S 8/2016 Kujawski
 D765,790 S * 9/2016 Chatterjee D14/401
 D765,792 S 9/2016 Chatterjee
 D766,376 S * 9/2016 Kujawski D14/401
 D766,902 S 9/2016 Bellinghausen
 D767,038 S * 9/2016 Kujawski D14/401
 D767,682 S 9/2016 Bellinghausen

D768,785 S 10/2016 Kim
 D768,786 S * 10/2016 Seflic D14/401
 D769,964 S 10/2016 Lu
 D773,561 S 12/2016 Kujawski
 D777,843 S 1/2017 Kujawski
 D783,722 S 4/2017 Peng
 D784,987 S * 4/2017 Kujawski D14/401
 D786,980 S * 5/2017 Strahle D14/401
 D787,606 S * 5/2017 Coe D21/333
 D794,129 S 8/2017 Kujawski
 D794,717 S 8/2017 Kujawski
 D795,350 S 8/2017 Chatterjee
 D795,961 S * 8/2017 Chatterjee D14/401
 9,764,230 B2 * 9/2017 Gassoway A63F 13/24
 D798,864 S 10/2017 Chen
 D798,954 S * 10/2017 Chatterjee D21/333
 D799,599 S 10/2017 Kujawski
 D803,946 S 11/2017 Matsuda
 D806,078 S 12/2017 Goldman
 D815,209 S 4/2018 Chen
 D816,083 S 4/2018 Wu
 D816,170 S * 4/2018 Chatterjee D21/333
 D816,674 S 5/2018 Wu
 D819,641 S 6/2018 Tsuchiya
 D819,642 S 6/2018 Ehara
 D823,945 S * 7/2018 Falc D21/333
 D832,382 S 10/2018 Van Nguyen
 D837,320 S 1/2019 Griffith
 D839,361 S 1/2019 Lederer
 D845,395 S * 4/2019 Strahle D21/333
 D847,265 S 4/2019 Chatterjee
 D847,903 S 5/2019 Chatterjee
 D847,904 S 5/2019 Chatterjee
 D849,147 S * 5/2019 Strahle D21/333
 D850,447 S 6/2019 Fulghum
 D853,384 S 7/2019 Fulghum
 D854,619 S * 7/2019 Konishi D21/333
 D855,703 S * 8/2019 Chatterjee D21/333
 2010/0298053 A1 * 11/2010 Kotkin A63F 13/24
 463/37

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/595,214, filed Feb. 27, 2017, Tsuchiya et al.
 Design U.S. Appl. No. 29/645,660, filed Apr. 27, 2018, Tsuchiya et al.
 Design U.S. Appl. No. 29/645,665, filed Apr. 27, 2018, Tsuchiya et al.
 Design U.S. Appl. No. 29/645,669, filed Apr. 27, 2018, Tsuchiya et al.
 Design U.S. Appl. No. 29/645,672, filed Apr. 27, 2018, Tsuchiya et al.
 Design U.S. Appl. No. 29/645,674, filed Apr. 27, 2018, Tsuchiya et al.

* cited by examiner



Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8