



US00D883127S

(12) **United States Design Patent** (10) **Patent No.:** **US D883,127 S**
Smith (45) **Date of Patent:** **** May 5, 2020**

(54) **SIGNALING BALLOON**
(71) Applicant: **Bradley Smith**, Sarasota, FL (US)
(72) Inventor: **Bradley Smith**, Sarasota, FL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/662,957**
(22) Filed: **Sep. 11, 2018**
(51) **LOC (12) Cl.** **10-05**
(52) **U.S. Cl.**
USPC **D10/109.1**
(58) **Field of Classification Search**
USPC D10/104.1, 104.2, 109.1, 114.2; D20/10,
D20/21, 28, 42, 99; D21/436, 438, 439,
D21/440, 441, 448, 447, 450, 452, 453,
D21/454, 455, 396, 488; 116/DIG. 8,
116/DIG. 9, 210; 441/30, 40, 41
See application file for complete search history.

D727,435 S * 4/2015 Padilla D21/439
D727,436 S * 4/2015 Padilla D21/439
D738,960 S * 9/2015 Padilla D21/440
D738,961 S * 9/2015 Padilla D21/440
D739,472 S * 9/2015 Padilla D21/440

OTHER PUBLICATIONS

“Signal Life Jacket Features SOS Balloon for Faster Rescue—Tuvie” available Oct. 9, 2019, [online], [site visited Oct. 9, 2019]. Retrieved from Internet, URL: <http://www.tuvie.com/signal-life-jacket-features-sos-balloon-for-faster-rescue/> (Year: 2019).*

* cited by examiner

Primary Examiner — Michael C Stout
Assistant Examiner — Katrina N Gonzalez

(57) **CLAIM**

I claim the ornamental design for a signaling balloon, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the signaling balloon.
FIG. 2 is a rear view of the claimed design.
FIG. 3 is a left side view of the claimed design.
FIG. 4 is a right side view of the claimed design.
FIG. 5 is a top view of the claimed design.
FIG. 6 is a bottom view of the claimed design.
FIG. 7 is a bottom perspective thereof, shown in a condition of use; and,
FIG. 8 is an enlarged partial detail view of FIG. 7, showing a bottom perspective of the signaling balloon for clarity of illustration.
FIG. 9 is an enlarged partial detail view of FIG. 7, showing a portion of the signaling balloon for clarity of illustration. The Signaling Balloon is shown with a symbolic break in its length, as illustrated with the dash-dot lines. The appearance of any portion of the article between the dash-dot broken lines forms no part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS
3,721,983 A * 3/1973 Sherer G08B 5/002
342/10
4,295,438 A 10/1981 Asquith
4,416,212 A * 11/1983 Howard G08B 5/02
116/173
4,872,414 A 10/1989 Salandra
D313,767 S 1/1991 Rosebush
D323,683 S * 2/1992 Isaacs D19/185
D349,311 S * 8/1994 Isaacs D21/440
D367,239 S * 2/1996 Miller D10/109.1
5,736,954 A 4/1998 Veazey
D394,409 S * 5/1998 Ferguson D10/109.1
6,178,915 B1 1/2001 Salandra
6,195,039 B1 2/2001 Glass, Jr.
6,523,778 B2 2/2003 Key et al.
D476,589 S * 7/2003 Blake D10/109.1
D581,824 S * 12/2008 Catner D10/109.1
8,534,217 B2 9/2013 Sjoblom

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6

FIG. 7




FIG. 8




FIG. 8




FIG. 9




FIG. 9