



US00D883450S

(12) **United States Design Patent** (10) **Patent No.:** **US D883,450 S**
Kuo (45) **Date of Patent:** **** May 5, 2020**

(54) **PIPE FOR A SINK DRAIN STOPPER**

(71) Applicant: **Jerry Kuo-Yung Kuo**, Taichung (TW)

(72) Inventor: **Jerry Kuo-Yung Kuo**, Taichung (TW)

(**) Term: **15 Years**

(21) Appl. No.: **29/640,351**

(22) Filed: **Mar. 14, 2018**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/990,839, filed on Jan. 8, 2016, now abandoned.

(30) **Foreign Application Priority Data**

Jul. 16, 2015 (TW) 104211462

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/266**

(58) **Field of Classification Search**

USPC D23/259, 266, 261–265, 268, 200, 233,
D23/235, 237; 138/109–110, 118, 178,
138/37, 39, 44, 123–124, 137, 140, 169;
137/247.21, 351, 355.12, 899, 37, 39, 44;
285/125.1, 129.2, 131.1, 132.1, 179,
285/179.1, 302, 307–313, 394; 4/323,
4/256.1, 679, 681, 683–687, 696
CPC F16L 11/00; F16L 11/085; F16L 11/04;
F16L 11/10; F16L 11/14; E03C 1/12;
E03C 1/18; E03C 1/20; E03C 1/22; E03C
1/24; E03C 1/242
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,091,170 A * 8/1937 Tilden E03C 1/232
4/679
3,680,153 A * 8/1972 Haldopoulos E03C 1/22
4/679

3,751,734 A * 8/1973 Lumadue E03C 1/29
4/679
4,218,785 A * 8/1980 Crawford E03C 1/232
4/295
D368,514 S * 4/1996 Crepeau D23/261
7,530,123 B2 * 5/2009 Cao E03C 1/2306
4/295
D613,818 S * 4/2010 Kojima D23/200
2003/0213063 A1 * 11/2003 Mayer E03C 1/182
4/679
2005/0278847 A1 * 12/2005 Mayer E03C 1/22
4/679
2008/0178382 A1 * 7/2008 Pinette E03C 1/23
4/689
2010/0050337 A1 * 3/2010 Li E03C 1/23
4/689
2010/0175183 A1 * 7/2010 Cannon E03C 1/12
4/679

(Continued)

Primary Examiner — Eric L Goodman

Assistant Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Burris Law, PLLC


(57) **CLAIM**

The ornamental design for a pipe for a sink drain stopper, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a pipe for a sink drain stopper showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The dashed broken lines depict portions of a pipe for a sink drain stopper that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2013/0042407 A1 * 2/2013 Marotz E03C 1/2304
4/679
2014/0310864 A1 * 10/2014 Ye E03C 1/2302
4/295
2015/0026880 A1 * 1/2015 Chung E03C 1/23
4/668
2015/0299993 A1 * 10/2015 Danhi E03C 1/26
4/679
2016/0356028 A1 * 12/2016 Ball E03C 1/2302
2017/0016219 A1 * 1/2017 Kuo E03C 1/2302

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7