



US00D883766S

(12) **United States Design Patent** (10) **Patent No.:** **US D883,766 S**
Montes et al. (45) **Date of Patent:** **** May 12, 2020**

(54) **BELT-WEARABLE PRY BAR**

(71) Applicant: **Phase 5 Weapon Systems Inc.**,
Roseville, CA (US)

(72) Inventors: **Kenneth Montes**, Roseville, CA (US);
Leon A. Wauters, Roseville, CA (US)

(73) Assignee: **Phase 5 Weapon Systems Inc.**,
Roseville, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/667,914**

(22) Filed: **Oct. 25, 2018**

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/89**

(58) **Field of Classification Search**
USPC D8/14, 17, 88, 89, 105, 349, 354;
D32/49, 46; D24/152
CPC B25C 11/00; B25F 1/006; B66F 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,134,574 A * 5/1964 Reuterfors E04G 23/08
254/25
D265,506 S * 7/1982 Finamore D24/147
D276,695 S * 12/1984 Hanna D7/393
D302,234 S * 7/1989 McNamee D8/71
5,207,126 A * 5/1993 Schaben E04D 15/003
254/25
D341,529 S * 11/1993 Jacobs D25/119
5,322,264 A * 6/1994 Giambro B25C 11/00
254/25
5,695,171 A * 12/1997 Shine B25C 11/00
254/25

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Law Office of Andrei D Popovici, PC



(57) **CLAIM**

What is claimed is the ornamental design for a belt-wearable pry bar, as shown.

DESCRIPTION

FIG. 1 shows a top isometric view of a belt-wearable pry bar according to a first embodiment.
FIG. 2 is a bottom isometric view of a belt-wearable pry bar according to a first embodiment.
FIG. 3 is another top isometric view of a belt-wearable pry bar according to a first embodiment.
FIG. 4 is another bottom isometric view of a belt-wearable pry bar according to a first embodiment.
FIG. 5 is a side view of a belt-wearable pry bar according to a first embodiment.
FIG. 6 is a bottom view of a belt-wearable pry bar according to a first embodiment.
FIG. 7 is a side view of a belt-wearable pry bar according to a first embodiment.
FIG. 8 shows a top isometric view of a belt-wearable pry bar according to a second embodiment.
FIG. 9 is a bottom isometric view of a belt-wearable pry bar according to a second embodiment.
FIG. 10 another top isometric view of a belt-wearable pry bar according to a second embodiment.
FIG. 11 is another bottom isometric view of a belt-wearable pry bar according to a second embodiment.
FIG. 12 is a side view of a belt-wearable pry bar according to a second embodiment.
FIG. 13 is a bottom view of a belt-wearable pry bar according to a second embodiment; and,
FIG. 14 is a side view of a belt-wearable pry bar according to a second embodiment.
Broken lines depict unclaimed portions of the belt-wearable pry bar that do not form part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D444,690	S	*	7/2001	Bond	B66F 15/00
						D8/16
D473,765	S	*	4/2003	Gordon	D8/18
6,959,473	B1	*	11/2005	Anibas	B25B 27/00
						29/239
D552,799	S	*	10/2007	Williams	D28/91.2
D567,760	S	*	4/2008	Parrish	D13/112
8,567,760	B2	*	10/2013	Sindt	B25C 11/00
						254/25
8,955,827	B2	*	2/2015	Brown	B25F 1/006
						254/21
D729,598	S	*	5/2015	Sagawa	D8/16
D790,944	S	*	7/2017	Wise	D8/89
10,100,543	B2	*	10/2018	Hanson	E04G 23/08
D867,094	S	*	11/2019	Rowley	D8/88

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14