



US00D883766S

(12) **United States Design Patent** (10) **Patent No.:** **US D883,766 S**
Montes et al. (45) **Date of Patent:** **** May 12, 2020**

(54) **BELT-WEARABLE PRY BAR**

(71) Applicant: **Phase 5 Weapon Systems Inc.**,
Roseville, CA (US)

(72) Inventors: **Kenneth Montes**, Roseville, CA (US);
Leon A. Wauters, Roseville, CA (US)

(73) Assignee: **Phase 5 Weapon Systems Inc.**,
Roseville, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/667,914**

(22) Filed: **Oct. 25, 2018**

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/89**

(58) **Field of Classification Search**
USPC D8/14, 17, 88, 89, 105, 349, 354;
D32/49, 46; D24/152
CPC B25C 11/00; B25F 1/006; B66F 15/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,134,574	A *	5/1964	Reuterfors	E04G 23/08 254/25
D265,506	S *	7/1982	Finamore	D24/147
D276,695	S *	12/1984	Hanna	D7/393
D302,234	S *	7/1989	McNamee	D8/71
5,207,126	A *	5/1993	Schaben	E04D 15/003 254/25
D341,529	S *	11/1993	Jacobs	D25/119
5,322,264	A *	6/1994	Giambro	B25C 11/00 254/25
5,695,171	A *	12/1997	Shine	B25C 11/00 254/25

(Continued)

Primary Examiner — Philip S Hyder

(74) *Attorney, Agent, or Firm* — Law Office of Andrei D Popovici, PC



(57) **CLAIM**

What is claimed is the ornamental design for a belt-wearable pry bar, as shown.

DESCRIPTION

FIG. 1 shows a top isometric view of a belt-wearable pry bar according to a first embodiment.
 FIG. 2 is a bottom isometric view of a belt-wearable pry bar according to a first embodiment.
 FIG. 3 is another top isometric view of a belt-wearable pry bar according to a first embodiment.
 FIG. 4 is another bottom isometric view of a belt-wearable pry bar according to a first embodiment.
 FIG. 5 is a side view of a belt-wearable pry bar according to a first embodiment.
 FIG. 6 is a bottom view of a belt-wearable pry bar according to a first embodiment.
 FIG. 7 is a side view of a belt-wearable pry bar according to a first embodiment.
 FIG. 8 shows a top isometric view of a belt-wearable pry bar according to a second embodiment.
 FIG. 9 is a bottom isometric view of a belt-wearable pry bar according to a second embodiment.
 FIG. 10 another top isometric view of a belt-wearable pry bar according to a second embodiment.
 FIG. 11 is another bottom isometric view of a belt-wearable pry bar according to a second embodiment.
 FIG. 12 is a side view of a belt-wearable pry bar according to a second embodiment.
 FIG. 13 is a bottom view of a belt-wearable pry bar according to a second embodiment; and,
 FIG. 14 is a side view of a belt-wearable pry bar according to a second embodiment.
 Broken lines depict unclaimed portions of the belt-wearable pry bar that do not form part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D444,690 S * 7/2001 Bond B66F 15/00
D8/16
D473,765 S * 4/2003 Gordon D8/18
6,959,473 B1 * 11/2005 Anibas B25B 27/00
29/239
D552,799 S * 10/2007 Williams D28/91.2
D567,760 S * 4/2008 Parrish D13/112
8,567,760 B2 * 10/2013 Sindt B25C 11/00
254/25
8,955,827 B2 * 2/2015 Brown B25F 1/006
254/21
D729,598 S * 5/2015 Sagawa D8/16
D790,944 S * 7/2017 Wise D8/89
10,100,543 B2 * 10/2018 Hanson E04G 23/08
D867,094 S * 11/2019 Rowley D8/88

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14