



US00D883968S

(12) **United States Design Patent**
Chalko et al.

(10) **Patent No.:** **US D883,968 S**

(45) **Date of Patent:** **** May 12, 2020**

(54) **COMMUNICATION DEVICE**

(71) Applicant: **Kimberly-Clark Worldwide, Inc.**,
Neenah, WI (US)

(72) Inventors: **Eric M. Chalko**, Alpharetta, GA (US);
Klemen Erzen, Preddvor (SI); **Stephen Jones**,
Atlanta, GA (US); **Maureen Carroll**, Atlanta, GA (US)

(73) Assignee: **KIMBERLY-CLARK WORLDWIDE, INC.**,
Neenah, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/660,946**

(22) Filed: **Aug. 23, 2018**

(51) **LOC (12) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/242**

(58) **Field of Classification Search**
USPC D14/240, 242, 357, 358, 355, 125, 126,
D14/204, 214, 215, 216, 137
CPC . H04L 12/66; H04L 63/0853; H04L 63/0272;
H04L 63/083; H04L 63/105; H05K 7/20;
H05K 7/20154

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D306,583 S *	3/1990	Krolopp	D13/184
D537,445 S *	2/2007	Bousfield	D14/383
D651,993 S *	1/2012	Cheng	D14/125
D664,126 S *	7/2012	Feit	D14/230
D685,355 S *	7/2013	Holleman	D14/240
D704,176 S *	5/2014	Kwak	D14/240
D705,224 S *	5/2014	Govindasamy	D14/356
D710,824 S *	8/2014	Mackiewicz	D14/214
D715,228 S *	10/2014	Lee	D13/158

D719,547 S *	12/2014	Boeckel	D14/214
D722,983 S *	2/2015	Paredes	D13/168
D724,583 S *	3/2015	Ge	D14/356
D729,216 S *	5/2015	Peng	D14/240
D740,262 S *	10/2015	Hasegawa	D14/240
D753,639 S *	4/2016	Marzynski	D14/240
D754,751 S *	4/2016	Kusano	D14/203.3
D768,589 S *	10/2016	Shin	D14/125
D778,889 S *	2/2017	Nagao	D14/240
D782,429 S *	3/2017	Xianda	D14/125
D785,608 S *	5/2017	Weaver	D14/240
D789,360 S *	6/2017	Moon	D14/240

(Continued)

Primary Examiner — Bridget L Eland

(57) **CLAIM**

The ornamental design for a communication device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our new design for a communication device;

FIG. 2 is a top view showing the communication device of FIG. 1;

FIG. 3 is a bottom view showing the communication device of FIG. 1;

FIG. 4 is a front side view showing the communication device of FIG. 1;



FIG. 5 is a back side view showing the communication device of FIG. 1;

FIG. 6 is a right side view showing the communication device of FIG. 1; and,

FIG. 7 is a left side view showing the communication device of FIG. 1.

The dot dot dash broken lines and evenly spaced broken lines immediately adjacent the shaded areas represent the bounds of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D798,339 S * 9/2017 Yang D14/203.1
D809,493 S * 2/2018 Konotopskyi D14/242
D835,085 S * 12/2018 Burmeister-Brown D14/240
D855,676 S * 8/2019 Emami D16/203

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7