



US00D884626S

(12) **United States Design Patent**
Lyu et al.

(10) **Patent No.:** **US D884,626 S**

(45) **Date of Patent:** **** May 19, 2020**

(54) **CHARGER**

(71) Applicant: **Baidu Online Network Technology (Beijing) Co., Ltd.**, Beijing (CN)

(72) Inventors: **Cheng Lyu**, Beijing (CN); **Xiyu Mao**, Beijing (CN)

(73) Assignee: **Baidu Online Network Technology (Beijing) Co., Ltd.**, Beijing (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/631,043**

(22) Filed: **Dec. 27, 2017**

(30) **Foreign Application Priority Data**

Oct. 27, 2017 (CN) 2017 3 0519820

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/110**

(58) **Field of Classification Search**
USPC D13/102–110, 139.8, 118–119, 184, 199;
D14/356, 432

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;
Y02E 60/124; Y02E 60/50; H01M 2/02;
H01M 2/022; H01M 2/0202; H01M
2/0207; H01M 2/0212; H01M 2/1061;
H01M 2/1022; H01M 2/1055; H01M
2/1066; H01M 2/105; H01M 2/20; H01M
2/204; H01M 2/206; H01M 10/44; H01M
10/46; H01M 10/465; H01M 10/482;
H01M 2200/30; H01M 2250/30; H01M
2250/40; H02J 7/00; H02J 7/0003; H02J
7/0011; H02J 7/0013; H02J 7/0054; H02J
7/0055; H02J 7/0057; H02J 2007/0062
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D408,787 S *	4/1999	Seragnoli	D13/107
D530,671 S *	10/2006	Reed	D13/147
D588,065 S *	3/2009	Wadsworth	D13/137.2
D631,444 S *	1/2011	Garay	D13/133
D643,807 S *	8/2011	Jiang	D13/103
D660,795 S *	5/2012	Wen	D13/110
D678,187 S *	3/2013	Huang	D13/103
D693,299 S *	11/2013	Zaslavsky	D13/110
D704,630 S *	5/2014	Liu	D13/108
D720,692 S *	1/2015	Matsuoka	D13/110
D722,018 S *	2/2015	Wang	D13/103
D731,489 S *	6/2015	Langhammer	D14/433
D731,969 S *	6/2015	Ackloo	D13/110
D734,259 S *	7/2015	Cepress	D13/110
D746,771 S *	1/2016	Perez	D13/108
D763,185 S *	8/2016	Wen	D13/103
D818,966 S *	5/2018	Paterson	D13/153
D845,953 S *	4/2019	Boehmer	D14/433

(Continued)

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Dinsmore & Shohl, LLP

(57) **CLAIM**

The ornamental design for a charger, as shown and described herein.

DESCRIPTION

FIG. 1 is a front elevation view of a charger showing the design;

FIG. 2 is a rear elevation view of the design;

FIG. 3 is a left-side elevation view of the design;

FIG. 4 is a right-side elevation view of the design;


FIG. 5 is a top plan view of the design;

FIG. 6 is a bottom plan view of the design; and,

FIG. 7 is a top, right perspective view of the design.

The charger is shown with symbolic break in the length of the cable. The appearance of any portion of the charger between the break lines forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D854,018 S * 7/2019 Liao D14/434
2004/0209499 A1 * 10/2004 Chung H01R 33/945
439/131

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7