



US00D884854S

(12) **United States Design Patent** (10) **Patent No.:** **US D884,854 S**
Nakabayashi et al. (45) **Date of Patent:** **** May 19, 2020**

(54) **TOILET SEAT**

(71) Applicant: **TOTO LTD.**, Kitakyushu (JP)

(72) Inventors: **Hiroataka Nakabayashi**, Kitakyushu (JP); **Minoru Tani**, Kitakyushu (JP); **Tomohiro Miyazaki**, Kitakyushu (JP)

(73) Assignee: **TOTO, Ltd.**, Kitakyushu-shi, Fukuoka (JP)

(**) Term: **15 Years**

(21) Appl. No.: **35/505,606**

(22) Filed: **Mar. 2, 2018**

(80) **Hague Agreement Data**

Int. Filing Date: **Mar. 2, 2018**

Int. Reg. No.: **DM/100062**

Int. Reg. Date: **Mar. 2, 2018**

Int. Reg. Pub. Date: **Sep. 7, 2018**

(51) **LOC (12) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/311**

(58) **Field of Classification Search**

USPC D23/295-303, 307, 309, 310, 311, 313

CPC A47K 13/12; A47K 10/16; A47K 13/00;

A47K 13/26; A47K 17/00; A47K 10/18;

A47K 10/3643; A47K 10/48; A47K

11/00; A47K 11/02; A47K 11/04; A47K

11/12; A47K 13/005; A47K 13/02; A47K

13/04; A47K 13/10; A47K 13/105; A47K

13/14; A47K 13/24; A47K 13/242; A47K

13/28; A47K 13/305; A47K 13/307;

A47K 2010/3668; A47K 3/34; A47K

4/00; A47K 7/00; A47K 7/03; A47K 7/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D747,449 S * 1/2016 Inomoto D23/311

D818,092 S * 5/2018 Richter D23/311

D819,793 S * 6/2018 Yoo D23/311

D844,120 S * 3/2019 Nakabayashi D23/311

D844,761 S * 4/2019 Nakabayashi D23/311

* cited by examiner

Primary Examiner — Khawaja Anwar

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a toilet seat, as shown and described.

DESCRIPTION

1 and 2 Toilet seat

1.1 : Perspective

1.2 : Front

1.3 : Back

1.4 : Left

1.5 : Right

1.6 : Top

1.7 : Bottom

2.1 : Perspective

2.2 : Front

2.3 : Back

2.4 : Left


2.5 : Right

2.6 : Top


2.7 : Bottom

The toilet seat of designs 1 and 2 comprises a lower element, a cover and a rear element to which the lower element and cover are connected by rear parts; the rear element has its upper side inclined forwards so that the rear parts of the cover and lower element are inclined and smoothly connected with horizontal front parts; design 1 has a shape of rectangle with its front side rounded and design 2 has a shape of a part of an oval facing forward by its convexity.


1 Claim, 14 Drawing Sheets




1.1




1.2




1.3



1.4




1.5




1.6




1.7




2.1




2.2




2.3



2.4



2.5



2.6



2.7

