



US00D884933S

(12) **United States Design Patent** (10) **Patent No.:** **US D884,933 S**
Herre et al. (45) **Date of Patent:** **** May 19, 2020**

(54) **LIGHTING DEVICE**

(71) Applicant: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(72) Inventors: **Michael Herre**, Cedarburg, WI (US);
Jeffrey L. Spenner, Hubertus, WI (US)

(73) Assignee: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/648,505**

(22) Filed: **May 22, 2018**

(51) **LOC (12) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28-36; 362/459-468, 475-478,
362/485-487

CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D711,570 S *	8/2014	Wu	D26/28
D739,581 S *	9/2015	Huang	D26/28
D747,517 S *	1/2016	Lai	D26/28
D799,082 S *	10/2017	Lai	D26/28
D823,500 S *	7/2018	Liao	D26/28
D824,055 S *	7/2018	Chi	D26/28
D825,802 S *	8/2018	Chi	D26/31
D833,046 S *	11/2018	Jiang	D26/28
D836,809 S *	12/2018	Chi	D26/28

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a top, front, and right side of a right-handed version of an ornamental design for a lighting device;

FIG. 2 is a front elevational view of the lighting device of FIG. 1;

FIG. 3 is a rear elevational view of the lighting device of FIG. 1;

FIG. 4 is a left side elevational view of the lighting device of FIG. 1;

FIG. 5 is a right side elevational view of the lighting device of FIG. 1;

FIG. 6 is a top plan view of the lighting device of FIG. 1; FIG. 7 is a bottom plan view of the lighting device of FIG. 1;

FIG. 8 is an isometric view of a top, front, and left side of a left-handed version of an ornamental design for a lighting device;

FIG. 9 is a front elevational view of the lighting device of FIG. 8;

FIG. 10 is a rear elevational view of the lighting device of FIG. 8;

FIG. 11 is a left side elevational view of the lighting device of FIG. 8;


FIG. 12 is a right side elevational view of the lighting device of FIG. 8;

FIG. 13 is a top plan view of the lighting device of FIG. 8; and,

FIG. 14 is a bottom plan view of the lighting device of FIG. 8.

The dash-dash-dash broken lines are included for the purpose of illustrating portions of the lighting device that form no part of the claimed design. FIGS. 3 and 10 form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D853,604 S	*	7/2019	Ting	D26/28
D858,825 S	*	9/2019	Dinant	D26/28
D864,444 S	*	10/2019	Lin	D26/28
D864,446 S	*	10/2019	Lai	D26/28

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14