



US00D884934S

(12) **United States Design Patent** (10) **Patent No.:** **US D884,934 S**
Herre et al. (45) **Date of Patent:** **** May 19, 2020**

(54) **LIGHTING DEVICE**

(71) Applicant: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(72) Inventors: **Michael Herre**, Cedarburg, WI (US);
Jeffrey L. Spenner, Hubertus, WI (US)

(73) Assignee: **J.W. SPEAKER CORPORATION**,
Germantown, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/648,506**

(22) Filed: **May 22, 2018**

(51) **LOC (12) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28–36; 362/459–468, 475–478,
362/485–487

CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 21/04

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|-------|-------|--------|
| D711,570 S * | 8/2014 | Wu | | D26/28 |
| D739,581 S * | 9/2015 | Huang | | D26/28 |
| D747,517 S * | 1/2016 | Lai | | D26/28 |
| D799,082 S * | 10/2017 | Lai | | D26/28 |
| D823,500 S * | 7/2018 | Liao | | D26/28 |
| D824,055 S * | 7/2018 | Chi | | D26/28 |
| D825,802 S * | 8/2018 | Chi | | D26/31 |
| D833,046 S * | 11/2018 | Jiang | | D26/28 |
| D836,809 S * | 12/2018 | Chi | | D26/28 |

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a top, front, and right side of a right-handed version of an ornamental design for a lighting device;

FIG. 2 is a front elevational view of the lighting device of FIG. 1;

FIG. 3 is a rear elevational view of the lighting device of FIG. 1;

FIG. 4 is a left side elevational view of the lighting device of FIG. 1;

FIG. 5 is a right side elevational view of the lighting device of FIG. 1;

FIG. 6 is a top plan view of the lighting device of FIG. 1; FIG. 7 is a bottom plan view of the lighting device of FIG. 1;

FIG. 8 is an isometric view of a top, front, and left side of a left-handed version of an ornamental design for a lighting device;

FIG. 9 is a front elevational view of the lighting device of FIG. 8;

FIG. 10 is a rear elevational view of the lighting device of FIG. 8;

FIG. 11 is a left side elevational view of the lighting device of FIG. 8;


FIG. 12 is a right side elevational view of the lighting device of FIG. 8;

FIG. 13 is a top plan view of the lighting device of FIG. 8; and,

FIG. 14 is a bottom plan view of the lighting device of FIG. 8.

The dash-dash-dash broken lines are included for the purpose of illustrating portions of the lighting device that form no part of the claimed design. FIGS. 3, 7, 10, and 14 form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---|---------|--------------|--------|
| D853,604 S | * | 7/2019 | Ting | D26/28 |
| D858,825 S | * | 9/2019 | Dinant | D26/28 |
| D864,444 S | * | 10/2019 | Lin | D26/28 |
| D864,446 S | * | 10/2019 | Lai | D26/28 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14