



US00D884935S

(12) **United States Design Patent** (10) **Patent No.:** **US D884,935 S**  
**Herre et al.** (45) **Date of Patent:** **\*\* May 19, 2020**

(54) **LIGHTING DEVICE**

(71) Applicant: **J.W. SPEAKER CORPORATION**,  
Germantown, WI (US)

(72) Inventors: **Michael Herre**, Cedarburg, WI (US);  
**Jeffrey L. Spenner**, Hubertus, WI (US)

(73) Assignee: **J.W. SPEAKER CORPORATION**,  
Germantown, WI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/648,507**

(22) Filed: **May 22, 2018**

(51) **LOC (12) Cl.** ..... **26-06**

(52) **U.S. Cl.**  
USPC ..... **D26/28**

(58) **Field of Classification Search**  
USPC ..... D26/28–36; 362/459–468, 475–478,  
362/485–487

CPC ..... F21S 48/00; F21S 48/10; F21S 48/115;  
F21S 48/225; F21S 48/1233; F21S  
48/1266; F21S 48/1388; F21S 48/2268;  
F21V 21/04

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D711,570 S *	8/2014	Wu	.....	D26/28
D739,581 S *	9/2015	Huang	.....	D26/28
D747,517 S *	1/2016	Lai	.....	D26/28
D799,082 S *	10/2017	Lai	.....	D26/28
D823,500 S *	7/2018	Liao	.....	D26/28
D824,055 S *	7/2018	Chi	.....	D26/28
D825,802 S *	8/2018	Chi	.....	D26/31
D833,046 S *	11/2018	Jiang	.....	D26/28
D836,809 S *	12/2018	Chi	.....	D26/28

(Continued)

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a top, front, and right side of a right-handed version of an ornamental design for a lighting device;

FIG. 2 is a front elevational view of the lighting device of FIG. 1;

FIG. 3 is a rear elevational view of the lighting device of FIG. 1;

FIG. 4 is a left side elevational view of the lighting device of FIG. 1;

FIG. 5 is a right side elevational view of the lighting device of FIG. 1;

FIG. 6 is a top plan view of the lighting device of FIG. 1; FIG. 7 is a bottom plan view of the lighting device of FIG. 1;

FIG. 8 is an isometric view of a top, front, and left side of a left-handed version of an ornamental design for a lighting device;

FIG. 9 is a front elevational view of the lighting device of FIG. 8;

FIG. 10 is a rear elevational view of the lighting device of FIG. 8;

FIG. 11 is a left side elevational view of the lighting device of FIG. 8;


FIG. 12 is a right side elevational view of the lighting device of FIG. 8;

FIG. 13 is a top plan view of the lighting device of FIG. 8; and,

FIG. 14 is a bottom plan view of the lighting device of FIG. 8.

The dash-dash-dash broken lines are included for the purpose of illustrating portions of the lighting device that form no part of the claimed design. FIGS. 3 and 10 form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D853,604 S	*	7/2019	Ting .....	D26/28
D858,825 S	*	9/2019	Dinant .....	D26/28
D864,444 S	*	10/2019	Lin .....	D26/28
D864,446 S	*	10/2019	Lai .....	D26/28

\* cited by examiner




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14