



US00D885174S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,174 S**
Magagna et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **QUICK RELEASE CLAMP**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **TKO CLAMPING SYSTEMS, LLC**,
Pocatello, ID (US)

CN 103097793 A 5/2013
DE 19835320 B4 2/2000

(Continued)

(72) Inventors: **Timothy L. Magagna**, Pocatello, ID
(US); **Stanford L. Caldwell**, Pocatello,
ID (US); **Shea S. Caldwell**, Pocatello,
ID (US); **Kary R. Christopherson**,
Ridgefield, WA (US); **Craig L.**
Sandstrom, Pocatello, ID (US)

OTHER PUBLICATIONS

amazon.com, Omix-Ada 17115.01 Radiator Hose Clamp, at least of
Feb. 19, 2018, [https://www.amazon.com/Omix-Ada-17115-01-](https://www.amazon.com/Omix-Ada-17115-01-Radiator-Hose-Clamp/dp/B000FQ973A)
Radiator-Hose-Clamp/dp/B000FQ973A, see attachment.

(Continued)

(73) Assignee: **TKO Clamping Systems, LLC**,
Pocatello, ID (US)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Flaig Law Office, PLLC;
Jason E. Flaig

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/660,820**

The ornamental design for a quick release clamp, as shown
and described.

(22) Filed: **Aug. 22, 2018**

DESCRIPTION

(51) **LOC (12) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396**

(58) **Field of Classification Search**
USPC D8/394–396, 349–356, 373, 400, 21–26,
D8/29, 499
CPC . H01R 11/11; F16L 23/036; F16L 3/13; F16L
3/1033; E04B 2/74; B65D 45/34; B65D
45/345

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,429,985 A 2/1969 Czigler
3,883,128 A 5/1975 Breese
4,453,289 A 6/1984 Kleykamp et al.
4,573,717 A * 3/1986 Peacock F16B 2/185
24/270

(Continued)

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,639,979	A *	2/1987	Polson	A63B 21/0728	24/273
4,852,840	A	8/1989	Marks		
5,380,052	A *	1/1995	Hendrickson	F16L 17/04	24/270
6,953,314	B2	10/2005	Magagna		
D584,604	S *	1/2009	Baldwin	D8/396	
7,828,340	B2 *	11/2010	Heelan, Jr.	F16L 21/065	285/366
D703,033	S *	4/2014	Karlsson	D8/396	
D735,025	S *	7/2015	Mathien	D8/396	
9,482,368	B1	11/2016	Hung		
D780,860	S *	3/2017	Jones	D21/694	
D780,861	S *	3/2017	Jones	D21/694	
D798,699	S *	10/2017	Roiser	D8/396	
9,863,573	B2	1/2018	May		
10,288,195	B2 *	5/2019	Crouzy	F16L 23/06	
D855,920	S *	8/2019	Schenone	D34/12	
2004/0061335	A1 *	4/2004	Mills	F16L 25/0045	285/409
2004/0208727	A1	10/2004	Magagna		
2006/0081744	A1	4/2006	Konold		
2008/0019794	A1	1/2008	van Walraven		
2008/0287271	A1 *	11/2008	Jones	A63B 21/0728	482/107
2011/0272888	A1	11/2011	Irizzary et al.		
2014/0130306	A1	5/2014	Andel		
2016/0186902	A1	6/2016	Lee		
2018/0056458	A1	3/2018	McClure		

FOREIGN PATENT DOCUMENTS

DE	10022338	B4	11/2001
DE	102004051234	A1	5/2006
DE	202009015554	U1	4/2010
EP	0292408	A1	11/1988
EP	0872677	A2	10/1998
EP	1431641	A2	6/2004
EP	2985500	B1	2/2016
GB	2352475	A	1/2001
KR	20090006003	U	6/2009
KR	101014385	B1	2/2011
KR	20110100071	A	9/2011
KR	101190245	B1	10/2012
KR	20130028606	A	3/2013
KR	20150101227	A	9/2015
KR	101578329	B1	12/2015
KR	101595111	B1	2/2016
KR	101670646	B1	12/2016
KR	20170139773	A	12/2017
WO	WO2010085905	A1	8/2010

OTHER PUBLICATIONS

Viper Parts of America, . . . , at least of Feb. 19, 2018, <https://www.viperpartsrackamerica.com/index.php/products/1992-2010-dodge-viper-radiator-hose-clamp-52006750>, see attachment.

VWTUNINGMAG, Prolock Hose Clamps—Get a Grip!, at least of Mar. 30, 2018, <http://www.vwtuningmag.com/prolock-hose-clamps-get-a-grip/>, see attachment.

Clampco: Worldwide Clamping Specialist, Barrel Hardware Clamps, at least of Mar. 30, 2018, <http://www.clampco.com/products/barrel.asp>, see attachment.

Clampco: Worldwide Clamping Specialist, Latches, Fasteners & Handles, at least of Mar. 30, 2018, <http://www.clampco.com/products/latches.asp>, see attachment.

Clampco: Worldwide Clamping Specialist, Flanges, at least of Mar. 30, 2018, <http://www.clampco.com/products/flanges-no-gasket.asp>, see attachment.

Clampco: Worldwide Clamping Specialist, V-Band Clamps/Couplings, at least of Mar. 30, 2018, <http://www.clampco.com/products/v-band.asp>, see attachment.

Theonania.Club, Radiator Hose Clamps Radiator Loose, at least of Mar. 30, 2018, <http://theonania.club/radiator-hose-clamps/radiator-hose-clamps-radiaor-loose/>, see attachment.

Theonania.Club, Radiator Hose Clamps Types, at least of Mar. 30, 2018, <http://theonania.club/radiator-hose-clamps/radiator-hose-clamps-types/>, see attachment.

zoro.com, Heavy Duty Clamp, T304 Stainless Steel, at least of Mar. 30, 2018, <https://www.zoro.com/zoro-select-heavy-duty-clamp-t304-stainless-steel-13mhhm75/...see attachment>

alibaba.com, Clamps, at least of Mar. 31, 2018, https://www.alibaba.com/product-detail/china-supplier-plastic-adjustable-pipe-clamps_... see attachment.

alibaba.com, Clamps, at least of Mar. 31, 2018, https://www.alibaba.com/product-detail/kkmark-wholesale-adjustable-pipe-clamps-tuv_60751931288.html? . . . see attachment.

alibaba.com, Clamps, at least of Mar. 31, 2018, https://www.alibaba.com/product-detail/Right-Angle-Adjustable-Tube-Clamps-for_... see attachment.

QAWORLDWIDE, Cable Tie Replacement! The Patented Cable Clamp Pro®, at least of Mar. 31, 2018, <http://www.cableclamp.com/, . . . see attachment>.

Denniskirk, Memphis Shades Adjustable Fork Clamps for 48-55mm Forks—MEM9954, at least of Mar. 31, 2018, <https://www.denniskirk.com/memphis-shades/ . . . see attachment>.

FRS.Sports, P2M Pipe Aluminum Hose Clamp—Black 2.00", at least of Mar. 30, 2018, <https://frsport.com/p2m-p2-ahc200blk-kmi-pipe-aluminum-hose . . . see attachment>.

Bavarian Autosport, Plastic Hose Support—Genuine BMW, at least of Mar. 30, 2018, https://www.bavauto.com/catalog/product/view/id/163994/?utm_source= . . . see attachment.

autohausaz.com, Genuine Mini Hose Clamp SKU: 1505234-MI-17127639895, at least of Mar. 30, 2018, <https://www.autohausaz.com/pn/14325056-MI-17127639895? . . . see attachment>.

Sweetwater, Gibraltar SC-GCRA Road Series Chrome Adjustable Right-angle Clamp, at least of Mar. 30, 2018, <https://www.sweetwater.com/store/detail/SCGCRA-- . . . see attachment>.

Denniskirk, Memphis Shades Adjustable Fork Clamps for 48-55mm Forks—MEM9954, at least of Mar. 30, 2018, <https://www.denniskirk.com/memphis-shades/adjustable- . . . see attachment>.

Thomann, Global Truss 10403 Beam Clamp 2,0t, at least Mar. 30, 2018, https://www.thomann.de/lu/global_truss_10403_beam_clamp_20t.htm, other details . . . see attachment.

PSSL Prosound and Stage Lighting, Solena Professional Adjustable Lighting O-Clamp, at least of Mar. 31, 2018, <http://www.pssl.com/Solena- . . . see attachment>.

AGL Manufacturing Ltd., CF Style Adjustable Clamp, at least of Mar. 31, 2018, http://www.aglmfg.com/Products/Concrete-Pump-Parts/ACME_Style_Adjustable_Clamp . . . see attachment.

Direct Industry, plastic cable clamp / adjustable, at least of Mar. 31, 2018, <http://www.directindustry.com/prod/reiku-drossbach/product-103293- . . . see attachment>.

Emarine Systems, .75"- 1.25" Adjustable Rail Clamps (Pair), at least of Mar. 31, 2018, <https://www.emarineinc.com/75-inch-1-25-inch-Adjustable- . . . see attachment>.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10






FIG. 12




FIG. 13

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D885,174 S
APPLICATION NO. : 29/660820
DATED : May 26, 2020
INVENTOR(S) : Timothy L. Magagna et al.

Page 1 of 12

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

The title page showing the illustrative figure should be deleted and replaced with the corrected title page.

In the Drawings

Please replace FIGS. 1-13 with FIGS. 1-13 as shown on the attached pages.

Signed and Sealed this
Thirteenth Day of July, 2021



Drew Hirshfeld
*Performing the Functions and Duties of the
Under Secretary of Commerce for Intellectual Property and
Director of the United States Patent and Trademark Office*

(12) **United States Design Patent** (10) **Patent No.:** **US D885,174 S**
Magagna et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **QUICK RELEASE CLAMP**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **TKO CLAMPING SYSTEMS, LLC,**
Pocatello, ID (US)

CN 103097793 A 5/2013
DE 19835320 B4 2/2000
(Continued)

(72) Inventors: **Timothy L. Magagna,** Pocatello, ID (US); **Stanford L. Caldwell,** Pocatello, ID (US); **Shea S. Caldwell,** Pocatello, ID (US); **Kary R. Christopherson,** Ridgefield, WA (US); **Craig L. Sandstrom,** Pocatello, ID (US)

OTHER PUBLICATIONS

amazon.com, Omix-Ada 17115.01 Radiator Hose Clamp, at least of Feb. 19, 2018, <https://www.amazon.com/Omix-Ada-17115-01-Radiator-Hose-Clamp/dp/B000FQ973A>, see attachment.
(Continued)

(73) Assignee: **TKO Clamping Systems, LLC,**
Pocatello, ID (US)

Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Flaig Law Office, PLLC;
Jason E. Flaig

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/660,820**

The ornamental design for a quick release clamp, as shown and described.

(22) Filed: **Aug. 22, 2018**

DESCRIPTION

(51) **LOC (12) CL.** **08-08**

(52) **U.S. CL.** **D8/396**
USPC **D8/396**

(58) **Field of Classification Search**
USPC D8/394-396, 349-356, 373, 400, 21-26, D8/29, 499
CPC : H01R 11/11; F16L 23/036; F16L 3/13; F16L 3/1033; E04B 2/74; B65D 45/34; B65D 45/345
See application file for complete search history.

FIG. 1 is a front perspective view of a quick release clamp in accordance with the present claimed design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a top view thereof;
FIG. 9 is an exploded bottom perspective view thereof;
FIG. 10 is an exploded rear perspective view thereof;
FIG. 11 is an exploded front view thereof;
FIG. 12 is an exploded bottom view thereof; and,
FIG. 13 is a perspective view thereof shown in an open configuration in an unclaimed environment of use.
The broken lines in the drawings are included for the purpose of illustrating environmental structure only and form no part of the claimed design.


(56) **References Cited**

U.S. PATENT DOCUMENTS

3,429,985 A 2/1969 Czigler
3,883,128 A 5/1975 Breese
4,453,289 A 6/1984 Kleykamp et al.
4,573,717 A * 3/1986 Peacock F16B 2/185
24/270

(Continued)

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6




FIG. 7




FIG. 8




FIG. 9





FIG. 10






FIG. 12




FIG. 13