



US00D885266S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,266 S**  
**Kezha** (45) **Date of Patent:** **\*\* May 26, 2020**

(54) **FRONT BUMPER FOR A VEHICLE**  
(71) Applicant: **Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)**

D796,396 S \* 9/2017 Badstuebner ..... D12/169  
D813,737 S \* 3/2018 Beermann ..... D12/169  
D823,746 S \* 7/2018 Lim ..... D12/169  
D823,747 S \* 7/2018 Tsarukyan ..... D12/169  
D825,416 S \* 8/2018 Al Attar ..... D12/169

(72) Inventor: **Alexey Kezha, Munich (DE)**  
(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft, Munich (DE)**

**FOREIGN PATENT DOCUMENTS**

EM 002401430-0001 2/2014  
WO WO DM/084038 1/2015  
WO WO DM/098664 5/2018

(\*\*) Term: **15 Years**

\* cited by examiner

(21) Appl. No.: **29/676,461**

*Primary Examiner* — Melody N Brown

(22) Filed: **Jan. 11, 2019**

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(30) **Foreign Application Priority Data**

(57) **CLAIM**

Jul. 20, 2018 (DE) ..... 40 2018 100 722

The ornamental design for a front bumper for a vehicle, as shown and described.

(51) **LOC (12) Cl.** ..... **12-16**

**DESCRIPTION**

(52) **U.S. Cl.**  
USPC ..... **D12/169**

This application contains subject matter related to the following co-pending U.S. design patent applications: Application Ser. No. 29/629,360, filed Dec. 13, 2017 and entitled "Front Bumper for a Vehicle"; Application Ser. No. 29/676,459, filed herewith and entitled "Vehicle, Toy, and/or Replicas Thereof"; Application Ser. No. 29/676,460, filed herewith and entitled "Vehicle, Toy, and/or Replicas Thereof"; and Application Ser. No. 29/676,463, filed herewith and entitled "Front Bumper for a Vehicle".

(58) **Field of Classification Search**  
USPC .... D12/169, 164, 196, 171, 163, 86, 90-92; 293/102, 113, 115, 117, 120; 296/180.1, 296/180.2  
CPC ..... B60R 19/02; B60R 19/04; B62D 25/08  
See application file for complete search history.


FIG. 1 is a front view of a front bumper for a vehicle according to the design;  
FIG. 2 is a right, front perspective view thereof;  
FIG. 3 is a left, bottom perspective view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a top view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a rear view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D712,799 S 9/2014 Kang  
D716,199 S 10/2014 Beermann  
D724,503 S \* 3/2015 Hall ..... D12/169  
D730,791 S \* 6/2015 Hammoud ..... D12/169  
D737,738 S 9/2015 Nordmann  
D749,021 S \* 2/2016 Boniface ..... D12/169  
D757,616 S \* 5/2016 Lesnik ..... D12/169  
D758,260 S \* 6/2016 Lesnik ..... D12/169  
D764,985 S 8/2016 Faghihzadeh  
D772,119 S 11/2016 De Bono  
D775,560 S \* 1/2017 Choi ..... D12/169  
D778,214 S \* 2/2017 Kim ..... D12/169

**1 Claim, 8 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7






Fig. 8