



US00D885329S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,329 S**
Gan et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **JUMP STARTER**

(71) Applicant: **Shenzhen Valuelink E-Commerce Co., Ltd.**, Shenzhen (CN)

(72) Inventors: **Qing-Cao Gan**, Shenzhen (CN);
Yue-Fei Liao, Shenzhen (CN)

(73) Assignee: **Shenzhen Valuelink E-Commerce Co., Ltd.**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/642,514**

(22) Filed: **Mar. 29, 2018**

(30) **Foreign Application Priority Data**

Sep. 30, 2017 (CN) 2017 3 0473713

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**

USPC **D13/107; D13/103**

(58) **Field of Classification Search**

USPC D13/106–110, 118, 184; D14/356, 432

CPC Y02E 60/10; Y02E 60/12; Y02E 60/122;

Y02E 60/124; Y02E 60/50; H01M 2/02;

H01M 2/022; H01M 2/0202; H01M

2/0207; H01M 2/0212; H01M 2/1061;

H01M 2/1022; H01M 2/1055; H01M

2/1066; H01M 2/105; H01M 2/20; H01M

2/204; H01M 2/206; H01M 10/44; H01M

10/46; H01M 10/465; H01M 10/482;

H01M 2200/30; H01M 2250/30; H01M

2250/40; H02J 7/00; H02J 7/0003; H02J

7/0011; H02J 7/0013; H02J 7/0054; H02J

7/0055; H02J 7/0057; H02J 7/0034; H02J

7/1423; H02J 2007/0062; H02J 2001/006;

Y02T 10/7005; Y02T 10/705; Y02T

10/7088

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D554,584 S * 11/2007 Feldman D13/110

D711,318 S * 8/2014 Xinfang D13/103

D786,192 S * 5/2017 Liu D13/107

D786,790 S * 5/2017 Miller D13/108

D803,151 S * 11/2017 Zhou D13/107

D804,415 S * 12/2017 Deng D13/108

D809,454 S * 2/2018 Zhou D13/103

(Continued)

OTHER PUBLICATIONS

Tenker 1200A. Oct. 27, 2018. Amazon.com. [Online][Accessed Nov. 12, 2019]<url:https://www.amazon.com/Portable-Starter-Battery-Booster-Flashlight/product-reviews/B07DJ61CKH/ref=cm_cr_ar_p_d_viewopt_srt?ie=UTF8&reviewerType=all_reviews&sortBy=recent&pageNumber=8> (Year: 2018).*

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — ScienBiziP, P.C.

(57) **CLAIM**

The ornamental design for a jump starter, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of jump starter showing the claimed new design;

FIG. 2 is a front elevational view of the jump starter of FIG. 1;

FIG. 3 is a rear elevational view of the jump starter of FIG. 1;


FIG. 4 is a left side elevational view of the jump starter of FIG. 1;

FIG. 5 is a right side elevational view of the jump starter of FIG. 1;

FIG. 6 is a top plan view of the jump starter of FIG. 1; and, FIG. 7 is a bottom plan view of the jump starter of FIG. 1.

The broken lines in the drawings depict portions of the jump starter that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D818,953 S	*	5/2018	Xu		D13/110
D848,366 S	*	5/2019	Lian		D13/108
D851,586 S	*	6/2019	Liu		D13/108
D856,956 S	*	8/2019	Liu		D14/138 R
D861,597 S	*	10/2019	Gan		D13/108
2016/0359352 A1	*	12/2016	Chiu		H02J 7/0047

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7