



US00D885331S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,331 S**
Suzuki et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **BATTERY CHARGER**

(71) Applicant: **MAKITA CORPORATION**, Anjo-shi, Aichi (JP)

(72) Inventors: **Wataru Suzuki**, Anjo (JP); **Hideyuki Taga**, Anjo (JP); **Junichi Murakami**, Anjo (JP)

(73) Assignee: **MAKITA CORPORATION**, Anjo-shi (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/614,668**

(22) Filed: **Aug. 22, 2017**

(30) **Foreign Application Priority Data**

Feb. 23, 2017 (JP) 2017-003546

(51) **LOC (12) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/108**

(58) **Field of Classification Search**

USPC D13/107–110, 118–119, 184; D14/251, D14/253, 432, 434
 CPC Y02E 60/12; Y02T 90/14; Y02T 90/122; Y02T 90/128; Y02T 90/163; H02J 7/025; H02J 7/0042; H02J 7/0044; H02J 7/0045; H02J 7/0003; H01F 38/14; H01R 13/6675; H01M 2/1022; H01M 2/1055; H01M 10/44; H01M 10/46; H01M 10/425; B60L 11/182

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D446,184 S * 8/2001 Parker D13/107
 D487,570 S * 3/2004 Ito D13/107
 D505,913 S * 6/2005 Kam Lun D13/107
 D506,972 S * 7/2005 Parel D13/107

D507,234 S * 7/2005 Heun D13/107
 D548,687 S * 8/2007 Okuda D13/107
 D549,647 S * 8/2007 Nishizawa D13/108
 D605,111 S * 12/2009 Schoch D13/107
 D633,037 S * 2/2011 Tschopp D13/107
 D635,917 S * 4/2011 Okuda D13/107
 D636,723 S * 4/2011 Yamamoto D13/107
 D642,518 S * 8/2011 Kokawa D13/107

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1507062 S 9/2014

Primary Examiner — Nathaniel D. Buckner

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP


(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a battery charger in accordance with our new design;
 FIG. 2 is a rear bottom perspective view of the battery charger in accordance with our new design;
 FIG. 3 is a front elevational view of the battery charger in accordance with our new design;
 FIG. 4 is a rear elevational view of the battery charger in accordance with our new design;
 FIG. 5 is a top plan view of the battery charger in accordance with our new design;
 FIG. 6 is a bottom plan view of the battery charger in accordance with our new design;
 FIG. 7 is a right side elevational view of the battery charger in accordance with our new design; and,
 FIG. 8 is a left side elevational view of the battery charger in accordance with our new design.
 The broken lines in the figures depict portions of the article which form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D721,648 S *	1/2015	Breines	D13/107
2010/0085008 A1 *	4/2010	Suzuki	B25F 5/00
			320/112

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8