



US00D885383S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,383 S**
Chang et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **HEADBAND FOR HEAD MOUNT DISPLAY**

(56) **References Cited**

(71) Applicants: **STARVR CORPORATION**, New Taipei (TW); **Acer Incorporated**, New Taipei (TW)

U.S. PATENT DOCUMENTS

D785,619 S * 5/2017 Su D14/372
D791,126 S * 7/2017 Sullivan D14/372
D807,354 S * 1/2018 Yee D14/372
D809,517 S * 2/2018 Sakata D14/372

(72) Inventors: **Hao-Ming Chang**, New Taipei (TW);
Ker-Wei Lin, New Taipei (TW);
Chun-Ta Chen, New Taipei (TW);
Chun-Yu Chen, New Taipei (TW);
Chun-Hsien Chen, New Taipei (TW);
Hui-Ping Sun, New Taipei (TW);
Wei-Chih Wang, New Taipei (TW);
Yen-Chou Chueh, New Taipei (TW);
Kuan-Lin Chen, New Taipei (TW)

(Continued)

Primary Examiner — Austin Murphy
(74) *Attorney, Agent, or Firm* — JCIPRNET

(73) Assignees: **STARVR CORPORATION**, New Taipei (TW); **Acer Incorporated**, New Taipei (TW)

(57) **CLAIM**

The ornamental design for a headband for head mount display, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/678,775**

(22) Filed: **Jan. 31, 2019**

(30) **Foreign Application Priority Data**

Aug. 1, 2018 (TW) 107304463

(51) **LOC (12) Cl.** **14-02**


(52) **U.S. Cl.**
USPC **D14/372**

(58) **Field of Classification Search**
USPC D14/372, 496, 432, 371, 125, 126, 129,
D14/299; D16/300-342; 351/158, 153,
351/144; 345/7-9, 905; 455/344;
348/115, 53, 121, 739
CPC G02B 27/017; G02B 27/0158; G02B
27/0161; G02B 27/0181; G02B 27/0185;
G02B 27/0189

FIG. 1 is a perspective view of a headband for head mount display showing our new design;
FIG. 2 is another perspective view thereof;
FIG. 3 is still another perspective view thereof;
FIG. 4 is yet another perspective view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof;
FIG. 7 is a left side view thereof;
FIG. 8 is a right side view thereof;
FIG. 9 is a top view thereof;
FIG. 10 is a bottom view thereof;
FIG. 11 is a right side view thereof in a first usage state; and,
FIG. 12 is a right side view thereof in a second usage state.
The broken lines in the drawings illustrate portions of the headband for head mount display and form no part of the claimed design. The broken lines shown in FIGS. 11-12 illustrate environment structures and form no part of the claimed design. In FIGS. 11-12, the cable extending from the front piece of the head mount display passes through the ring of the headband, and the length of the headband could be adjusted to adapt different head types of users.

See application file for complete search history.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D823,855	S	*	7/2018	Robertson	D14/372
D839,269	S	*	1/2019	Wang	D14/372
D848,420	S	*	5/2019	Boger	D14/372
D861,682	S	*	10/2019	Serota	D14/372
D865,763	S	*	11/2019	Lau	D14/372
D869,464	S	*	12/2019	Chang	D14/372
2018/0335632	A1	*	11/2018	Cho	G02B 7/002

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12