



US00D885447S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,447 S**
Boulet Gendron et al. (45) **Date of Patent:** **** May 26, 2020**

(54) **ROTOR AND SHAFT ASSEMBLY**
(71) Applicant: **STAS INC.**, Saguenay (CA)
(72) Inventors: **Benoit Boulet Gendron**, Chicoutimi (CA); **Jean-Michel Goupille**, Laterriere (CA); **Patrice Bouchard**, Chicoutimi (CA); **Martin Cormier**, Jonquiere (CA)

D362,860 S * 10/1995 Carkhuff D15/144
D365,345 S * 12/1995 Carkhuff D15/144
D414,788 S * 10/1999 Shintani D15/144
D417,459 S * 12/1999 Shintani D15/144
D420,374 S * 2/2000 Zigliotto D15/144
D446,530 S * 8/2001 Kuraoka D15/144

(Continued)

(73) Assignee: **STAS Inc.**, Saguenay (CA)
(**) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

CN 2018-49977 F * 6/2018
EP 3556995 A1 * 10/2019 F01D 5/027

(21) Appl. No.: **29/701,472**

Primary Examiner — Michael C Stout
Assistant Examiner — Fitzgerald L Butac

(22) Filed: **Aug. 12, 2019**

(74) *Attorney, Agent, or Firm* — Benoit & Cote, Inc.; C. Marc Benoit

Related U.S. Application Data

(62) Division of application No. 29/612,663, filed on Aug. 2, 2017, now Pat. No. Des. 861,752.

(57) **CLAIM**

We claim the ornamental design for a rotor and shaft assembly, as shown and described.

(30) **Foreign Application Priority Data**

Aug. 1, 2017 (CA) 176247

DESCRIPTION

(51) **LOC (12) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/138**

(58) **Field of Classification Search**
USPC ... D8/1, 3, 8, 14, 22, 25, 27, 29, 29.1, 29.2, D8/30, 40, 59, 70, 71, 74, 88, 98, 106, D8/300, 309, 343; D15/122, 131, 134, D15/138, 139, 140, 143, 144; D32/40; D22/108, 109, 110; D23/213, 223, 263; D26/36, 37, 46, 49
CPC F01D 5/066; F05D 2300/173; Y10T 428/12063; Y10T 464/50
See application file for complete search history.

FIG. 1 is a perspective view our ornamental design of a rotor and shaft assembly;
FIG. 2 is an elevation view of the rotor and shaft assembly of FIG. 1;
FIG. 3 is an elevation view of FIG. 1 similar to FIG. 2 with a 90 degree rotation;
FIG. 4 is a top plan view of the rotor and shaft assembly of FIG. 1;
FIG. 5 is a bottom plan view of the rotor and shaft assembly of FIG. 1;
FIG. 6 is a cross-sectional view of the rotor and shaft assembly of FIG. 1; and,
FIG. 7 is an exploded view of of the rotor and shaft assembly of FIG. 1.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,018 S * 7/1992 Severance D8/30
D353,600 S * 12/1994 Glass D15/7

The broken lines shown in the figures are included for the purpose of illustrating environment and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D446,795 S * 8/2001 Shintani D15/144
 D451,113 S * 11/2001 Shintani D15/144
 D492,709 S * 7/2004 Horner-Richardson D15/144
 D499,620 S * 12/2004 Horner-Richardson D8/30
 D501,632 S * 2/2005 Hewett D8/30
 D504,142 S * 4/2005 Horner-Richardson D15/144
 D505,963 S * 6/2005 Conway D15/139
 D511,280 S * 11/2005 Horner-Richardson D8/30
 D517,576 S * 3/2006 Conway D15/144
 D517,577 S * 3/2006 Conway D15/144
 D519,135 S * 4/2006 Conway D15/139
 D527,401 S * 8/2006 Mizuno D15/144
 D536,009 S * 1/2007 MacKenzie D15/144
 D632,148 S * 2/2011 Li D8/29
 D641,030 S * 7/2011 Nakamura D15/144.1
 D641,031 S * 7/2011 Nakamura D15/144.1
 D646,939 S * 10/2011 Johnson D8/29
 D647,548 S * 10/2011 Savill, Jr. D15/144
 D654,104 S * 2/2012 Fitzpatrick D15/144
 D656,167 S * 3/2012 Dunnahoe D15/131
 D660,667 S * 5/2012 Miyazaki D8/30
 D686,306 S * 7/2013 Grether D23/264
 D706,475 S * 6/2014 Lee D26/49
 D720,784 S * 1/2015 Hassan D15/144
 D721,111 S * 1/2015 Hassan D15/144
 D727,207 S * 4/2015 Anderson D12/42
 D728,649 S * 5/2015 Hassan D15/144
 D735,787 S * 8/2015 Hassan D15/144
 D739,696 S * 9/2015 Miyazaki D8/30
 D743,764 S * 11/2015 Teraoka D8/29.1
 D744,560 S * 12/2015 Hassan D15/144
 D747,377 S * 1/2016 Hassan D15/144
 D748,173 S * 1/2016 Hassan D15/144

D748,174 S * 1/2016 Hassan D15/144
 D756,183 S * 5/2016 Yeh D15/139
 D763,935 S * 8/2016 Hassan D15/138
 D774,866 S * 12/2016 Levey D15/144
 D777,812 S * 1/2017 Namburu D15/144
 D784,432 S * 4/2017 Yamaguchi D15/144
 D794,237 S * 8/2017 Christensen D15/144
 D801,928 S * 11/2017 Yoshida D13/122
 D811,455 S * 2/2018 Hoop D15/138
 D816,745 S * 5/2018 Hori D15/139
 D816,747 S * 5/2018 Panovs D15/144.2
 D826,670 S * 8/2018 Goodman D8/70
 D827,000 S * 8/2018 VanLue E21B 33/1291
 D827,892 S * 9/2018 Kunzendorf D13/122
 D838,754 S * 1/2019 Wang D15/139
 D841,496 S * 2/2019 Peterson D15/144
 D845,161 S * 4/2019 Lenk D8/29.1
 D846,009 S * 4/2019 Takemura D15/144
 D849,685 S * 5/2019 Tsuji D13/122
 D852,136 S * 6/2019 Yoshida D13/122
 D855,089 S * 7/2019 Hopkins D15/138
 D858,229 S * 9/2019 Willey D8/14
 D859,482 S * 9/2019 Miyauchi E21B 33/1291
 D861,610 S * 10/2019 Shepard D13/133
 D861,752 S * 10/2019 Boulet Gendron D15/138
 D862,547 S * 10/2019 Xie D15/144.2
 2007/0114209 A1 * 5/2007 Nolan B23K 9/18
 2015/0084464 A1 * 3/2015 Ramdane H02K 1/2726
 2015/0267687 A1 * 9/2015 Wendeberg F16C 23/086
 219/61
 310/90.5
 415/170.1

* cited by examiner

