



US00D885447S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,447 S**  
**Boulet Gendron et al.** (45) **Date of Patent:** **\*\* May 26, 2020**

(54) **ROTOR AND SHAFT ASSEMBLY**  
(71) Applicant: **STAS INC.**, Saguenay (CA)  
(72) Inventors: **Benoit Boulet Gendron**, Chicoutimi (CA); **Jean-Michel Goupille**, Laterriere (CA); **Patrice Bouchard**, Chicoutimi (CA); **Martin Cormier**, Jonquiere (CA)

D362,860 S \* 10/1995 Carkhuff ..... D15/144  
D365,345 S \* 12/1995 Carkhuff ..... D15/144  
D414,788 S \* 10/1999 Shintani ..... D15/144  
D417,459 S \* 12/1999 Shintani ..... D15/144  
D420,374 S \* 2/2000 Zigliotto ..... D15/144  
D446,530 S \* 8/2001 Kuraoka ..... D15/144

(Continued)

(73) Assignee: **STAS Inc.**, Saguenay (CA)  
(\*\*) Term: **15 Years**

FOREIGN PATENT DOCUMENTS  
CN 2018-49977 F \* 6/2018  
EP 3556995 A1 \* 10/2019 ..... F01D 5/027

(21) Appl. No.: **29/701,472**  
(22) Filed: **Aug. 12, 2019**

*Primary Examiner* — Michael C Stout  
*Assistant Examiner* — Fitzgerald L Butac  
(74) *Attorney, Agent, or Firm* — Benoit & Cote, Inc.; C. Marc Benoit

**Related U.S. Application Data**

(62) Division of application No. 29/612,663, filed on Aug. 2, 2017, now Pat. No. Des. 861,752.

(57) **CLAIM**

We claim the ornamental design for a rotor and shaft assembly, as shown and described.

(30) **Foreign Application Priority Data**

Aug. 1, 2017 (CA) ..... 176247

**DESCRIPTION**

(51) **LOC (12) Cl.** ..... **15-09**  
(52) **U.S. Cl.**

USPC ..... **D15/138**

(58) **Field of Classification Search**

USPC ... D8/1, 3, 8, 14, 22, 25, 27, 29, 29.1, 29.2, D8/30, 40, 59, 70, 71, 74, 88, 98, 106, D8/300, 309, 343; D15/122, 131, 134, D15/138, 139, 140, 143, 144; D32/40; D22/108, 109, 110; D23/213, 223, 263; D26/36, 37, 46, 49

CPC ..... F01D 5/066; F05D 2300/173; Y10T 428/12063; Y10T 464/50

See application file for complete search history.

FIG. 1 is a perspective view our ornamental design of a rotor and shaft assembly;  
FIG. 2 is an elevation view of the rotor and shaft assembly of FIG. 1;  
FIG. 3 is an elevation view of FIG. 1 similar to FIG. 2 with a 90 degree rotation;  
FIG. 4 is a top plan view of the rotor and shaft assembly of FIG. 1;  
FIG. 5 is a bottom plan view of the rotor and shaft assembly of FIG. 1;  
FIG. 6 is a cross-sectional view of the rotor and shaft assembly of FIG. 1; and,  
FIG. 7 is an exploded view of of the rotor and shaft assembly of FIG. 1.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D328,018 S \* 7/1992 Severance ..... D8/30  
D353,600 S \* 12/1994 Glass ..... D15/7

The broken lines shown in the figures are included for the purpose of illustrating environment and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D446,795 S *	8/2001	Shintani	D15/144	D748,174 S *	1/2016	Hassan	D15/144
D451,113 S *	11/2001	Shintani	D15/144	D756,183 S *	5/2016	Yeh	D15/139
D492,709 S *	7/2004	Horner-Richardson	D15/144	D763,935 S *	8/2016	Hassan	D15/138
D499,620 S *	12/2004	Horner-Richardson	D8/30	D774,866 S *	12/2016	Levey	D15/144
D501,632 S *	2/2005	Hewett	D8/30	D777,812 S *	1/2017	Namburu	D15/144
D504,142 S *	4/2005	Horner-Richardson	D15/144	D784,432 S *	4/2017	Yamaguchi	D15/144
D505,963 S *	6/2005	Conway	D15/139	D794,237 S *	8/2017	Christensen	D15/144
D511,280 S *	11/2005	Horner-Richardson	D8/30	D801,928 S *	11/2017	Yoshida	D13/122
D517,576 S *	3/2006	Conway	D15/144	D811,455 S *	2/2018	Hoop	D15/138
D517,577 S *	3/2006	Conway	D15/144	D816,745 S *	5/2018	Hori	D15/139
D519,135 S *	4/2006	Conway	D15/139	D816,747 S *	5/2018	Panovs	D15/144.2
D527,401 S *	8/2006	Mizuno	D15/144	D826,670 S *	8/2018	Goodman	D8/70
D536,009 S *	1/2007	MacKenzie	D15/144	D827,000 S *	8/2018	VanLue	E21B 33/1291
D632,148 S *	2/2011	Li	D8/29				D15/138
D641,030 S *	7/2011	Nakamura	D15/144.1	D827,892 S *	9/2018	Kunzendorf	D13/122
D641,031 S *	7/2011	Nakamura	D15/144.1	D838,754 S *	1/2019	Wang	D15/139
D646,939 S *	10/2011	Johnson	D8/29	D841,496 S *	2/2019	Peterson	D15/144
D647,548 S *	10/2011	Savill, Jr.	D15/144	D845,161 S *	4/2019	Lenk	D8/29.1
D654,104 S *	2/2012	Fitzpatrick	D15/144	D846,009 S *	4/2019	Takemura	D15/144
D656,167 S *	3/2012	Dunnahoe	D15/131	D849,685 S *	5/2019	Tsuji	D13/122
D660,667 S *	5/2012	Miyazaki	D8/30	D852,136 S *	6/2019	Yoshida	D13/122
D686,306 S *	7/2013	Grether	D23/264	D855,089 S *	7/2019	Hopkins	D15/138
D706,475 S *	6/2014	Lee	D26/49	D858,229 S *	9/2019	Willey	D8/14
D720,784 S *	1/2015	Hassan	D15/144	D859,482 S *	9/2019	Miyauchi	E21B 33/1291
D721,111 S *	1/2015	Hassan	D15/144				D15/138
D727,207 S *	4/2015	Anderson	D12/42	D861,610 S *	10/2019	Shepard	D13/133
D728,649 S *	5/2015	Hassan	D15/144	D861,752 S *	10/2019	Boulet Gendron	D15/138
D735,787 S *	8/2015	Hassan	D15/144	D862,547 S *	10/2019	Xie	D15/144.2
D739,696 S *	9/2015	Miyazaki	D8/30	2007/0114209 A1 *	5/2007	Nolan	B23K 9/18
D743,764 S *	11/2015	Teraoka	D8/29.1				219/61
D744,560 S *	12/2015	Hassan	D15/144	2015/0084464 A1 *	3/2015	Ramdane	H02K 1/2726
D747,377 S *	1/2016	Hassan	D15/144				310/90.5
D748,173 S *	1/2016	Hassan	D15/144	2015/0267687 A1 *	9/2015	Wendeberg	F16C 23/086
							415/170.1

\* cited by examiner

