



US00D885598S

(12) **United States Design Patent**  
**Liubchenko**

(10) **Patent No.:** **US D885,598 S**

(45) **Date of Patent:** **\*\* May 26, 2020**

(54) **COLD TREATMENT APPARATUS**

(71) Applicant: **Sergii Liubchenko**, Kherson (UA)

(72) Inventor: **Sergii Liubchenko**, Kherson (UA)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/647,494**

(22) Filed: **May 14, 2018**

(51) **LOC (12) Cl.** ..... **24-04**

(52) **U.S. Cl.**  
USPC ..... **D24/206**

(58) **Field of Classification Search**

USPC ..... D24/206-208, 200, 202; D6/663;  
607/114, 96

CPC ..... A61F 7/0085; A61F 7/0053; A61F 7/02;  
A61F 2007/0063; A61F 2007/0064; F25D  
3/102; F25D 3/105

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D285,607 S *	9/1986	Macier	.....	D24/202
D590,064 S *	4/2009	Janisch	.....	D24/206
10,271,986 B1 *	4/2019	Guertin	.....	A61F 7/0053
D854,698 S *	7/2019	Sivan	.....	D24/206
2017/0007443 A1 *	1/2017	Stroze	.....	A61F 7/0053
2018/0055685 A1 *	3/2018	Campos	.....	A61F 7/0053
2019/0216637 A1 *	7/2019	Sierra Murillo	.....	A61F 7/0053

**FOREIGN PATENT DOCUMENTS**

EM	004019834-0001	*	5/2017
EM	004057529-0001	*	6/2017

\* cited by examiner

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Millman IP Inc.

(57) **CLAIM**

The ornamental design for a cold treatment apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view from above, to the rear, and to the right side of a new design for a cold treatment apparatus, in a closed position;

FIG. 2 is a perspective view from above, to the front, and to the right side thereof, in the closed position;

FIG. 3 is a perspective view from above, to the front, and to the left side thereof, in the closed position;



FIG. 4 is a perspective view from above, to the rear, and to the right side thereof, in an open position;

FIG. 5 is a perspective view from above, to the front, and to the right side thereof, in the open position;

FIG. 6 is a perspective view from the rear to the left side thereof; and,

FIG. 7 is a top perspective view thereof, in the closed position.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7