



US00D885759S

(12) **United States Design Patent**
Judy

(10) **Patent No.:** **US D885,759 S**
(45) **Date of Patent:** **** Jun. 2, 2020**

(54) **BAG WITH POUCH FOR STORAGE OF A MOBILE ELECTRONIC DEVICE**

(71) Applicant: **Merakai, LLC**, Santa Barbara, CA (US)

(72) Inventor: **Ryan Judy**, Santa Barbara, CA (US)

(73) Assignee: **Merakai, LLC**, Santa Barbara, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/639,066**

(22) Filed: **Mar. 2, 2018**

(51) **LOC (12) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/249; D3/285**

(58) **Field of Classification Search**
USPC D3/201, 215, 216, 217, 218, 222, 273,
D3/276, 283, 284, 285, 289, 290, 291,
D3/900, 301, 247, 249, 252
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D319,729 S * 9/1991 Kogutt D3/299
D383,492 S * 9/1997 Siemon D19/26
(Continued)

OTHER PUBLICATIONS

Amazon, "Mission Darkness Mojave Faraday Phone Bag . . .", First reviewed Dec. 30, 2017. (<https://www.amazon.com/Mission-Darkness-Multi-Functional-Signal-Blocking-Anti-Tracking/dp/B077XQH3P6/>) (Year: 2017).*

(Continued)

Primary Examiner — April Rivas

(74) *Attorney, Agent, or Firm* — Lance M. Pritikin

(57) **CLAIM**

The ornamental design for a bag with pouch for storage of a mobile electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a top-front perspective view of an ornamental design of a bag with pouch for storage of a mobile electronic device, showing my new bag design in a closed configuration;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and a flap of the pouch is in a closed configuration;

FIG. 9 is a front view thereof;

FIG. 10 is a right side view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and the flap of the pouch is in a partially-open configuration;

FIG. 13 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and the flap of the pouch is in a fully-open configuration so as to expose the mouth of the pouch for receipt or removal of an electronic device into or out of the pouch;

FIG. 14 is a further top-front perspective view thereof, but wherein the bag is in an open configuration, the flap of the pouch is in a closed configuration, and a fold line of the flap is partially lifted so as to reveal a mouth of an auxiliary pocket disposed behind the pouch;

FIG. 15 is a further top-front perspective view thereof, but wherein the bag is in an open configuration, the flap of the pouch is in a partially-open configuration, and the fold line of the flap is partially lifted so as to reveal a mouth of an auxiliary pocket disposed behind the pouch;

(Continued)




FIG. 16 is a top-front perspective view of a second embodiment of the ornamental design of a bag with pouch for storage of a mobile electronic device, the bag being in a closed configuration;

FIG. 17 is a left side view thereof, the right side view being a mirror-image thereof;

FIG. 18 is a front view thereof;

FIG. 19 is a rear view thereof;

FIG. 20 is a top view thereof;

FIG. 21 is a bottom view thereof;

FIG. 22 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and a flap of the pouch is in a closed configuration;

FIG. 23 is a left side view thereof;

FIG. 24 is a front view thereof;

FIG. 25 is a top view thereof;

FIG. 26 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and the flap of the pouch is in a partially-open configuration;

FIG. 27 is a further top-front perspective view thereof, but wherein the bag is in an open configuration and the flap of the pouch is in a fully-open configuration so as to expose the mouth of the pouch for receipt or removal of an electronic device into or out of the pouch;

FIG. 28 is a further top-front perspective view thereof, but wherein the bag is in an open configuration, the flap of the pouch is in a closed configuration, and a fold line of the flap is partially lifted so as to reveal a mouth of an auxiliary pocket disposed behind the pouch; and,

FIG. 29 is a further top-front perspective view thereof, but wherein the bag is in an open configuration, the flap of the pouch is in a partially-open configuration, and the fold line of the flap is partially lifted so as to reveal a mouth of an auxiliary pocket disposed behind the pouch.

The broken lines illustrate portions of the bag with pouch for storage of a mobile electronic device and form no part of the claimed design.

1 Claim, 22 Drawing Sheets

(58) **Field of Classification Search**

CPC A45C 3/02; A45C 2003/008; A45C 5/03;
 A45C 2011/003; A45C 2200/05; A45C
 2001/006; A45C 1/04; A45C 13/185;
 A45C 2200/10; A45C 15/00; A45C 5/06;
 A45F 2200/0525

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D430,397	S	*	9/2000	Eskandry	D3/290
D560,361	S	*	1/2008	Huang	D3/301
D595,503	S	*	7/2009	Guy	D3/205
D632,079	S	*	2/2011	Spencer	D3/301
D657,125	S	*	4/2012	Gold	D3/203.1
D669,270	S	*	10/2012	Phillips	D3/301
D687,376	S	*	8/2013	Farris-Gilbert	D13/108
D808,168	S	*	1/2018	Turczynskij	D3/301
2009/0038900	A1	*	2/2009	Redzisz	A45C 3/00 190/108
2012/0145499	A1	*	6/2012	Shor	A45C 3/001 190/109
2014/0158563	A1	*	6/2014	Young	A45F 5/10 206/216

OTHER PUBLICATIONS

Amazon, "Better Together Daily Waller", First on sale Oct. 30, 2017. (<https://www.amazon.com/Wenziday-Better-Together-Daily-Wallet/dp/B07712TS1D/>) (Year: 2017).*

Amazon, "Linkstyle Nintendo 2DS Case with Game Storage . . .", First on sale Dec. 8, 2017. (<https://www.amazon.com/LinkStyle-Nintendo-Storage-Carrying-Protective/dp/B0785Y6C1S/>) (Year: 2017).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29