



US00D885918S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,918 S**
Schröder (45) **Date of Patent:** **** Jun. 2, 2020**

(54) **INSULATING BOTTLE**

(71) Applicant: **Ingo Schröder**, Bergisch Gladbach (DE)
 (72) Inventor: **Ingo Schröder**, Bergisch Gladbach (DE)
 (**) Term: **14 Years**
 (21) Appl. No.: **29/513,473**
 (22) Filed: **Dec. 31, 2014**
 (51) **LOC (12) Cl.** **09-01**
 (52) **U.S. Cl.**
 USPC **D9/503**
 (58) **Field of Classification Search**
 USPC D9/500–505, 516–518, 520, 530,
 D9/537–547, 549–558, 600–681,
 D9/690–692, 719, 738, 739, 741,
 D9/772–780, 434–454; D7/509–511
 CPC B65D 1/00; B65D 1/02; B65D 1/0207;
 B65D 1/0215; B65D 1/0223; B65D
 1/023; B65D 1/0238; B65D 1/0246;
 B65D 1/0253; B65D 1/0261; B65D
 1/0276; B65D 1/0284; B65D 1/40; B65D
 1/42; B65D 1/44; B65D 25/14; B65D
 81/38; B65D 81/3837; B65D 81/3839;
 B65D 81/3841; B65D 81/3844; B65D
 81/3846; B65D 81/3876; B65D 23/00;
 B65D 23/02; B65D 23/08; B65D
 23/0864; B65D 23/0878; B65D 41/12;
 B65D 2501/0009; B65D 2501/0018; A47J
 41/00; A47J 41/011; A47J 41/0055; A47J
 41/0061; A47J 41/0072; A47J 41/02;
 A47J 41/022; A47J 41/024; A47J 41/026;
 A47J 41/028; F25D 3/08; F25D 31/007;
 F25D 2331/803; F25D 2303/083; F25D
 2303/0831; F25D 2303/0832; F25D
 2303/0841; F25D 2303/0845; A47G
 19/2288

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D58,203	S	*	6/1921	Anderson	D9/500
D70,616	S	*	7/1926	Jones	D9/538
D73,288	S	*	8/1927	Harrison	D9/538
3,559,833	A	*	2/1971	Alonso	B65D 1/0246 215/324
3,871,541	A	*	3/1975	Adomaitis	B65D 1/0284 215/375
D236,186	S	*	8/1975	Frachon	D9/520
4,055,266	A	*	10/1977	Amabili	B65D 41/42 215/252
4,892,205	A	*	1/1990	Powers	B29C 49/0078 215/375
D356,871	S	*	3/1995	Dunn	D24/197
D414,238	S	*	9/1999	Kupperman	D22/146
5,988,416	A	*	11/1999	Cheng	B65D 1/0284 215/375
6,272,867	B1	*	8/2001	Barrash	F25B 9/14 62/6
6,299,006	B1	*	10/2001	Samonek	B65D 23/00 116/112

(Continued)

Primary Examiner — Catherine A Tuttle
 (74) *Attorney, Agent, or Firm* — Carter, DeLuca & Farrell, LLP


(57) **CLAIM**

The ornamental design for an insulating bottle, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view of an insulating bottle, the insulating bottle having circumferential symmetry; and, FIG. 2 is a top, plan view of the insulating bottle of FIG. 1. The broken lines provided in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D501,792	S	*	2/2005	Priestman	D9/500
D581,278	S	*	11/2008	Shibata	D9/453
D670,166	S	*	11/2012	Lavender	D9/452
D684,472	S	*	6/2013	Garcia	D9/534
D722,508	S	*	2/2015	Hirsberg	D9/503
D739,733	S	*	9/2015	Steward	D9/500
D744,833	S	*	12/2015	Cotton	D9/500
D745,396	S	*	12/2015	Jahina	D9/500
D745,397	S	*	12/2015	Gogola	D9/500
D745,399	S	*	12/2015	Cotton	D9/500
2012/0156335	A1	*	6/2012	Nishibe	B65D 1/165 426/131
2014/0326695	A1	*	11/2014	Paredes	B65D 1/0223 215/382
2016/0083167	A1	*	3/2016	Ichikawa	B65D 81/3839 428/36.5

* cited by examiner




FIG. 1

FIG. 2

