



US00D885961S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,961 S**  
**Hardy** (45) **Date of Patent:** **\*\* Jun. 2, 2020**

(54) **NECKLACE**  
(71) Applicant: **HERMES SELLIER (Société par actions simplifiée)**, Paris (FR)  
(72) Inventor: **Pierre Hardy**, Paris (FR)

D150,538 S \* 8/1948 Bauer ..... D11/9  
D158,751 S \* 5/1950 Katz ..... D11/9  
D161,186 S \* 12/1950 Katz ..... D11/9  
D339,545 S \* 9/1993 Davies ..... D11/11  
D439,188 S \* 3/2001 Cabarbaye ..... D11/11  
D483,286 S \* 12/2003 Hardy ..... A44C 9/0015  
D11/3

(\*\*) Term: **15 Years**

(Continued)

(21) Appl. No.: **35/506,653**

*Primary Examiner* — Melanie Pellegrini

(22) Filed: **Dec. 10, 2018**

(57) **CLAIM**

The ornamental design for a necklace, as shown and described.

(80) **Hague Agreement Data**

Int. Filing Date: **Dec. 10, 2018**  
Int. Reg. No.: **DM/200561**  
Int. Reg. Date: **Dec. 10, 2018**  
Int. Reg. Pub. Date: **Apr. 19, 2019**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jun. 27, 2018 (EM) ..... 005327277

(51) **LOC (12) Cl.** ..... **11-01**

(52) **U.S. Cl.**  
USPC ..... **D11/9**

(58) **Field of Classification Search**

USPC .... D11/1–25, 56, 63, 67, 77, 96, 79–85, 91, D11/92, 86  
CPC ... A44C 15/00; A44C 15/0005; A44C 15/001; A44C 15/0015; A44C 15/002; A44C 15/0025; A44C 15/003; A44C 15/0035; A44C 15/004; A44C 15/0045; A44C 15/005; A44C 15/0055; A44C 15/006; A44C 15/0065; A44C 25/00; A44C 25/001; A44C 25/007; A44C 5/00  
See application file for complete search history.

- 1. Necklace
- 1.1: front perspective
- 1.2: elevational
- 1.3: rear elevational
- 1.4: right side
- 1.5: left side
- 1.6: top plan
- 1.7: bottom plan
- 1.8: front in an alternate position
- 1.9: front in an alternate position
- 1.10: front in an alternate position


The necklace comprises four main chains interconnected with each other such as to define, when said chains are arranged along straight lines, a quadrilateral such as a rectangle; a plurality of intermediate chains extend between opposite mainchains; the necklace can assume a plurality of different configurations in use: in one configuration the user's head is to be passed in the opening defined between the top main chain and the top intermediate chain; in other configurations the user's head is to be passed in the opening defined between two contiguous intermediate chains; in a still further configuration the top and bottom main chains are disposed close to one another to form a pair of adjacent main chains, and the user's head is to be passed through the opening defined between said pair of adjacent main chains and the top and bottom intermediate chains.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D31,064 S \* 6/1899 Mirabeau ..... D11/2  
D47,996 S \* 10/1915 Guinis et al. .... D11/2

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**


U.S. PATENT DOCUMENTS

D558,634 S *	1/2008	Hardy .....	D11/13
D631,774 S *	2/2011	Marchand .....	D11/11
D631,775 S *	2/2011	Marchand .....	D11/11
D644,953 S *	9/2011	Favre .....	D11/12
D750,993 S *	3/2016	Yatsugi-Kang .....	D11/10
D810,605 S *	2/2018	Zachos .....	D11/13

\* cited by examiner




1.1






1.2





1.3



1.4



1.5




**1.6**






**1.7**




1.8





1.9





1.10

