



US00D885965S

(12) **United States Design Patent** (10) **Patent No.:** **US D885,965 S**
Shouse (45) **Date of Patent:** **** Jun. 2, 2020**

(54) **BRACELET CLASP POSITIONING DEVICE**
(71) Applicant: **Tommy H. Shouse**, Bardstown, KY (US)
(72) Inventor: **Tommy H. Shouse**, Bardstown, KY (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/655,303**
(22) Filed: **Jul. 2, 2018**
(51) **LOC (12) Cl.** **11-01**
(52) **U.S. Cl.**
USPC **D11/87**
(58) **Field of Classification Search**
USPC D11/1-25, 42, 50, 81, 86-87, 200, 201
CPC A44C 11/002; A47G 25/90; A47G 25/901;
A47G 25/902; B25B 1/22
See application file for complete search history.

D415,061 S * 10/1999 Lamacchia D11/220
6,036,065 A 3/2000 Wofford
6,109,999 A * 8/2000 Kuo A63B 19/00
446/236
6,112,958 A 9/2000 LaMacchia
6,484,910 B1 11/2002 Korkos
6,578,397 B1 6/2003 Altrich
7,284,684 B1 10/2007 Gharavi
7,712,643 B2 5/2010 Papernik
7,721,924 B2 5/2010 McCluhan
7,870,981 B2 1/2011 Ionis
8,281,966 B2 10/2012 Rodgers
8,375,585 B1 2/2013 Sittler
2011/0180573 A1 7/2011 Rodgers
2015/0230565 A1 8/2015 Fuhrman
2016/0089768 A1 3/2016 Kimura

* cited by examiner

Primary Examiner — Zenia I Bennett
(74) *Attorney, Agent, or Firm* — Carrithers Law Office PLLC; David W. Carrithers

(57) **CLAIM**

The ornamental design for bracelet clasp positioning device, as shown and described.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,059,913 A * 4/1913 Smith F16G 13/12
59/78
1,276,117 A * 8/1918 Riebe F16C 1/26
464/171
2,110,201 A * 3/1938 Cornell, Jr. A44C 11/002
59/78
2,714,269 A * 8/1955 Charles A44C 11/002
59/80
2,926,875 A 3/1960 Hoye
3,016,589 A 1/1962 Collins
D246,293 S * 11/1977 Doughty D11/4
D323,132 S * 1/1992 Grennan 223/111
5,405,066 A 4/1995 Fakier
D363,042 S * 10/1995 Papernik D11/200
5,855,401 A * 1/1999 Papernik A47G 25/901
24/40
5,899,369 A 5/1999 Macripo
5,934,526 A 8/1999 Rosenbaum

DESCRIPTION

FIG. 1 is a perspective view of a bracelet clasp positioning device showing my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof; and,
FIG. 8 is a perspective view showing the support stand, clasp, and a bracelet in broken lines.
The broken lines shown in the drawings represent portions of the support stand, clasp, and bracelet that form no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1





FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8