



US00D886026S

(12) **United States Design Patent**
Johannesson et al.

(10) **Patent No.:** **US D886,026 S**
(45) **Date of Patent:** **** Jun. 2, 2020**

(54) **SET OF AIR CAVITIES FOR HULL SURFACE OF VESSEL**

(71) Applicant: **Silverstream Technologies B.V.**, VB Amstelveen (NL)

(72) Inventors: **Johannes Johannesson**, Espergaerde (DK); **Noah Silberschmidt**, London (GB); **Joergen Clausen**, Broendby (DK)

(73) Assignee: **Silverstream Technologies B.V.**, Amstelveen (NL)

(**) Term: **15 Years**

(21) Appl. No.: **29/612,742**

(22) Filed: **Aug. 3, 2017**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/539,017, filed on Sep. 10, 2015, now abandoned.

Foreign Application Priority Data

Mar. 10, 2015 (EM) 002649715-0001
Mar. 10, 2015 (EM) 002649715-0002
Mar. 10, 2015 (EM) 002649715-0003
Mar. 10, 2015 (EM) 002649715-0004

(51) **LOC (12) Cl.** **12-06**
(52) **U.S. Cl.**
USPC **D12/317**

(58) **Field of Classification Search**
USPC D12/317
CPC B63B 1/34; B63B 1/38; B63B 2001/38;
B63B 2001/385; B63B 2001/387
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,680,517 A * 8/1972 Morrison B63B 1/38
114/67 A
4,753,401 A * 6/1988 Bechert B64C 21/025
244/130

(Continued)

Primary Examiner — Cynthia M. Chin

(74) *Attorney, Agent, or Firm* — Abelman, Frayne & Schwab

(57) **CLAIM**

The ornamental design for a set of air cavities for hull surface of vessel, as shown and described.

DESCRIPTION

FIG. 1 is a front, right and bottom perspective view of a set of air cavities for hull surface of vessel, according to the present invention;

FIG. 2 is an enlarged front, right and bottom view of a section of FIG. 1;

FIG. 3 is an enlarged rear, left and bottom view of a section of FIG. 1;

FIG. 4 is an enlarged bottom view of a section of FIG. 1;

FIG. 5 is a front, right and bottom perspective view of a set of air cavities for hull surface of vessel, according to another embodiment of the present invention;



FIG. 6 is an enlarged front, right and bottom view of a section of FIG. 5;

FIG. 7 is an enlarged rear, left and bottom view of a section of FIG. 5; and,

FIG. 8 is an enlarged bottom view of a section of FIG. 5.

The broken lines represent the environment in which the article resides and forms no part of the claimed design. In a preferred embodiment, the air cavities are recessed below the hull surface of the vessel, such that the left side, right

(Continued)



side, front, rear, and top surfaces of the air cavities are not seen in use and these views are therefore not shown.

1 Claim, 8 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

5,058,837	A *	10/1991	Wheeler	B64C 23/06 244/198
5,088,433	A *	2/1992	Osawa	B63B 1/40 114/67 R
5,339,761	A *	8/1994	Huang	B63B 1/042 114/274
5,456,201	A *	10/1995	Bobst	B63B 1/38 114/222
5,481,996	A *	1/1996	Osawa	B63B 1/20 114/67 R
5,524,568	A *	6/1996	Bobst	B63B 1/38 114/222
5,746,146	A *	5/1998	Bixel, Jr.	B63B 1/20 114/67 A
6,145,459	A *	11/2000	Takahashi	B63B 1/38 114/67 A

6,634,309	B2 *	10/2003	Radrizzani	B63B 1/20 114/291
6,684,807	B1 *	2/2004	Smith	B63B 1/22 114/285
6,880,476	B2 *	4/2005	Olsen	B63B 1/34 114/67 R
7,997,221	B2 *	8/2011	Costas	B63B 1/38 114/222
8,327,784	B2 *	12/2012	Costas	B63B 1/38 114/67 A
2002/0017228	A1 *	2/2002	Burg	B63B 1/38 114/67 A
2002/0083878	A1 *	7/2002	Burg	B63B 1/38 114/289
2003/0159637	A1 *	8/2003	Osmundsvaag	B63B 1/042 114/67 A
2004/0154514	A1 *	8/2004	Burg	B63B 1/20 114/67 R
2006/0231004	A1 *	10/2006	Stubblefield	B63B 1/22 114/285
2009/0126618	A1 *	5/2009	Winkler	B63B 1/20 114/291
2011/0146806	A1 *	6/2011	Wulf	B63B 1/40 114/67 R
2012/0097086	A1 *	4/2012	Sancoff	B64C 21/025 244/130
2016/0075406	A1 *	3/2016	Johannesson	B63B 1/38 114/67 A

* cited by examiner



FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8