



US00D886189S

(12) **United States Design Patent**
Koh

(10) **Patent No.:** **US D886,189 S**
(45) **Date of Patent:** **** Jun. 2, 2020**

(54) **POINT OF SALE (POS) TERMINAL**

(71) Applicant: **LINE Pay Corporation**, Shinjuku-ku, Tokyo (JP)

(72) Inventor: **Young In Koh**, Seongnam-si (KR)

(73) Assignee: **LINE Pay Corporation**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/680,204**

(22) Filed: **Feb. 14, 2019**

(30) **Foreign Application Priority Data**

Aug. 17, 2018 (KR) 30-2018-0038289

(51) **LOC (12) Cl.** **18-01**

(52) **U.S. Cl.**
USPC **D18/4.4; D14/339**

(58) **Field of Classification Search**
USPC D18/4.4, 4.5, 4.6, 2, 11, 50, 14, 19-21, D18/54, 54.1, 99, 4.1, 4.3; D10/46, 61,
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D186,316 S * 10/1959 Flanders D14/399
D202,554 S * 10/1965 Meunier D14/399
(Continued)

Primary Examiner — Marie D. Fast Horse

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce, P.L.C.

(57) **CLAIM**

The ornamental design for a point of sale (POS) terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front top right perspective view of a first embodiment point of sale (POS) Terminal;

FIG. 2 is a top plan view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 3 is a bottom plan view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 4 is a left elevation view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 5 is a right elevation view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 6 is a rear elevation view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 7 is a front elevation view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 8 is a front bottom left perspective view of the first embodiment point of sale (POS) Terminal of FIG. 1;

FIG. 9 is a rear top left perspective view of the first embodiment point of sale (POS) terminal of FIG. 1;

FIG. 10 is a front top right perspective view of a second embodiment point of sale (POS) Terminal;

FIG. 11 is a top plan view of the second embodiment point of sale (POS) terminal of FIG. 10;

FIG. 12 is a bottom plan view of the second embodiment point of sale (POS) terminal of FIG. 10;

FIG. 13 is a left elevation view of the second embodiment point of sale (POS) terminal of FIG. 10;

FIG. 14 is a right elevation view of the second embodiment point of sale (POS) terminal of FIG. 10;

FIG. 15 is a rear elevation view of the second embodiment point of sale (POS) terminal of FIG. 10;



FIG. 16 is a front elevation view of the second embodiment point of sale (POS) terminal of FIG. 10;

FIG. 17 is a front bottom left perspective view of the second embodiment point of sale (POS) Terminal of FIG. 10; and,

FIG. 18 is a rear top left perspective view of the second embodiment point of sale (POS) terminal of FIG. 10.

The broken lines in the drawings depict portions of the point of sale (POS) terminal that from no part of the claimed design.

1 Claim, 18 Drawing Sheets



(58) **Field of Classification Search**

USPC D10/62, 70, 104.1, 104.2, 106.2, 106.6,
 D10/65, 66; D20/1, 8, 9; D14/496, 299,
 D14/338, 339, 341, 346, 383, 385, 386,
 D14/440, 507, 137, 138 R, 138 AA,
 D14/138 G, 388
 CPC H04W 8/22; H04W 52/0225; H04W
 52/0254; G06Q 20/00; G06Q 20/08;
 G06Q 20/20; G07F 7/0873; G07F 7/088;
 G07G 1/0009; G07G 1/0018; G07G 1/00
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D232,436 S * 8/1974 Goodale D14/338
 D241,445 S * 9/1976 Paycha D14/385
 D289,291 S * 4/1987 Kapper D14/389
 D289,760 S * 5/1987 Rummel D14/339
 D298,038 S * 10/1988 Brown D18/4.6
 D298,944 S * 12/1988 Stark D18/4.6

D299,029 S * 12/1988 Williams D14/399
 D317,756 S * 6/1991 Fabri D18/4.6
 D341,360 S * 11/1993 Yamazaki D14/399
 D345,548 S * 3/1994 Giebler D14/339
 D348,454 S * 7/1994 Weybright D14/399
 D348,661 S * 7/1994 Hansen D14/389
 D359,951 S * 7/1995 Nair D14/387
 5,438,184 A * 8/1995 Roberts G06Q 20/341
 235/380
 D389,466 S * 1/1998 Nakao D14/387
 D393,479 S * 4/1998 Droege D18/4.6
 D424,536 S * 5/2000 Sun D14/337
 D425,873 S * 5/2000 Anderson D14/399
 D433,054 S * 10/2000 Sato D18/4.5
 6,955,293 B1 * 10/2005 Katsanevas G07F 19/20
 235/379
 D585,056 S * 1/2009 Ekelund D14/336
 D673,952 S * 1/2013 Toda D14/383
 D690,138 S * 9/2013 Kikkert D6/672
 D703,311 S * 4/2014 Daly D24/110
 D757,162 S * 5/2016 Lyons D18/4.4
 D810,746 S * 2/2018 Kothari D14/399
 D818,530 S * 5/2018 Yeruva D18/50

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16

FIG. 17






FIG. 18