



US00D886358S

(12) **United States Design Patent**
Silver

(10) **Patent No.:** **US D886,358 S**
(45) **Date of Patent:** **** Jun. 2, 2020**

(54) **LUMINAIRE**

(71) Applicant: **Beta-Calco Inc.**, Toronto (CA)

(72) Inventor: **Remy Silver**, Toronto (CA)

(73) Assignee: **Beta-Calco, Inc.**, Toronto, Ontario

(**) Term: **15 Years**

(21) Appl. No.: **29/633,003**

(22) Filed: **Jan. 11, 2018**

(30) **Foreign Application Priority Data**

Aug. 11, 2017 (CA) 176404

(51) **LOC (12) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/90; D26/120**

(58) **Field of Classification Search**
USPC ... D26/72, 85, 88, 89, 90, 91, 118, 120, 121
CPC F21S 8/04; F21S 8/043; F21S 8/046; F21S
8/06; F21S 8/063; F21S 8/065; F21S
8/068

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D584,848 S *	1/2009	Menke	D26/76
D595,450 S *	6/2009	Ko	D26/120
D599,944 S *	9/2009	Sabernig	D26/74
D603,083 S *	10/2009	Trumble	D26/90
7,766,536 B2 *	8/2010	Peifer	F21S 8/00 362/155
D628,335 S *	11/2010	Hyland	D26/74
D636,923 S *	4/2011	De Bevilacqua	D26/85
D648,060 S *	11/2011	Yamamoto	D26/120
D661,421 S *	6/2012	Hor	D26/91
D668,371 S *	10/2012	Alpaslan	D26/72
D711,583 S *	8/2014	Cho	D26/120
D746,504 S *	12/2015	Sabernig	D26/85

D819,860 S *	6/2018	Clark	D26/76
D831,262 S *	10/2018	Amato	D26/88
D844,884 S *	4/2019	Giacobone	D26/90
2006/0109688 A1 *	5/2006	Oosawa	G02B 6/0086 362/632

(Continued)

OTHER PUBLICATIONS

Garbo ceiling light from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

(Continued)

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(57) **CLAIM**


The ornamental design for a luminaire, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a luminaire, showing a first variant of the design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a side view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a top view thereof;
 FIG. 6 is a top perspective view thereof;
 FIG. 7 is a bottom perspective view of a luminaire showing a second variant of the design;
 FIG. 8 is a front view thereof;
 FIG. 9 is a side view thereof;
 FIG. 10 is a bottom view thereof;
 FIG. 11 is a top view thereof; and,
 FIG. 12 is a top perspective view thereof.

The portions of the luminaire shown in broken lines form no part of the design. The thin diagonal lines indicate translucency.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0237735 A1* 10/2006 Naulin H01L 33/641
257/98
2006/0285358 A1* 12/2006 Chen G09F 13/04
362/613
2007/0064444 A1* 3/2007 Kim G02B 6/0031
362/612
2013/0044480 A1* 2/2013 Sato F21S 8/061
362/235
2013/0182417 A1* 7/2013 Amat Girbau A61B 90/35
362/147
2014/0211457 A1* 7/2014 Tarsa F21S 8/06
362/147

OTHER PUBLICATIONS

4x4 wall sconce from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

View surface mounted wall fixture from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

Frame recessed wall fixture from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

Plaza Small surface mounted wall fixture from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

LED Power Supply from Edge Lighting. Downloaded from edgelighting.com Feb. 26, 2009. (Year: 2009).*

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12