



US00D886461S

(12) **United States Design Patent** (10) **Patent No.:** **US D886,461 S**
Du (45) **Date of Patent:** **** Jun. 9, 2020**

(54) **SET OF COMBINED BRUSHES**
(71) Applicant: **Hayco Manufacturing Limited,**
Causeway (HK)
(72) Inventor: **Jia Jian Du,** Shenzhen (CN)
(73) Assignee: **HAYCO MANUFACTURING LIMITED,** Causeway (HK)
(**) Term: **15 Years**
(21) Appl. No.: **29/662,836**
(22) Filed: **Sep. 10, 2018**
(51) **LOC (12) Cl.** **04-01**
(52) **U.S. Cl.**
USPC **D4/119**
(58) **Field of Classification Search**
USPC D4/119, 124, 107, 108, 116, 130, 136,
D4/129, 117, 138, 199, 121, 137;
D32/52, 42
CPC A46B 5/04
See application file for complete search history.

D643,221 S * 8/2011 Gates D4/137
D715,060 S * 10/2014 Evans D4/121
D718,212 S * 11/2014 Fetta D12/400

(Continued)

Primary Examiner — Rhea Shields
(74) *Attorney, Agent, or Firm* — Heslin Rothenberg
Farley & Mesiti P.C.; Melvin Li

(57) **CLAIM**

The ornamental design for a set of combined brushes, as shown and described.

DESCRIPTION


FIG. 1 is a top view of the set of combined brushes, according to the present invention;
FIG. 2 is a side view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is another side view thereof;
FIGS. 5 and 6 are opposite end views thereof; and
FIG. 7 is a perspective view thereof.
FIG. 8 is an exploded view of FIG. 7; and showing a smaller brush;
FIG. 9 is a top view, showing the smaller brush removed;
FIG. 10 is a side view thereof;
FIG. 11 is a bottom view thereof;
FIG. 12 is another side view thereof;
FIGS. 13 and 14 are opposite end views thereof.
FIG. 15 is a top view of the smaller brush as shown in FIG. 8;
FIG. 16 is a side view thereof;
FIG. 17 is a bottom view thereof;
FIG. 18 is another side view thereof; and,
FIGS. 19 and 20 are opposite end views thereof.
Novelty resides in the particular configuration of the brushes, and broken lines illustrating bristle tufts thereof or unshaded portions contained within the broken lines illustrate elements of the brushes that form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D283,851 S * 5/1986 Walko D4/130
D320,292 S * 9/1991 Bartlett D30/158
D323,746 S * 2/1992 Mehan D32/42
D378,711 S * 4/1997 Occhetti D4/108
D404,575 S * 1/1999 Vetter D4/130
6,081,958 A * 7/2000 Van Staagen A46B 5/04
15/114
D435,970 S * 1/2001 Osiecki D4/129
D439,414 S * 3/2001 Birdwell D32/52
D477,149 S * 7/2003 Hay D4/130
D531,811 S * 11/2006 Cochran D4/108
D547,952 S * 8/2007 Hrymoc D4/116
D562,006 S * 2/2008 Liu D4/130
D566,400 S * 4/2008 Phillips D4/107
D576,803 S * 9/2008 Meyer D4/130
D583,566 S * 12/2008 Meyer D4/124

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D834,333	S	*	11/2018	Krus	D4/199
D840,161	S	*	2/2019	Renner	D4/138
D845,645	S	*	4/2019	Rybacek	D4/138
D849,412	S	*	5/2019	Walker	D4/117
D853,128	S	*	7/2019	Tschopp	D4/129
D857,399	S	*	8/2019	Renner	D4/129
D860,655	S	*	9/2019	Treeby	D4/136

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20