



US00D886516S

(12)

United States Design Patent
Berresheim

(10)

Patent No.:


US D886,516 S

(45)

Date of Patent:

**** Jun. 9, 2020**

(54)	BEVERAGE CONTAINER	3,606,262 A	9/1971	Van't Hoff	
		D223,703 S	5/1972	Cheladze	
(71)	Applicant: GLOBAL ADVANTAGE TRADING AND IMPORTS, LLC , St. Louis, MO (US)	D223,704 S	5/1972	Cheladze	
		D255,530 S *	6/1980	Daenen	D10/46.3
		D281,572 S	12/1985	Gabriel et al.	
		D283,677 S	5/1986	Fortuna et al.	
(72)	Inventor: Kenneth J. Berresheim , Grantwood Village, MO (US)	4,938,379 A *	7/1990	Kellner	B65D 25/48 220/370
		D367,413 S *	2/1996	Ballin	D10/46.2
		D373,290 S	9/1996	Ballin	
(73)	Assignee: GLOBAL ADVANTAGE TRADING AND IMPORTS, LLC , St. Louis, MO (US)	D391,134 S	2/1998	Laib	
		D432,421 S *	10/2000	Sullivan, Jr.	D9/440
		D438,298 S	2/2001	McNutt	
		D462,000 S	8/2002	Hightower	
		D469,020 S	1/2003	Mannion et al.	
(**) Term: 15 Years		D494,470 S *	8/2004	Guyot	D9/435
(21)	Appl. No.: 29/676,263	6,905,044 B1 *	6/2005	Russo	B65D 43/0212 220/711
(22)	Filed: Jan. 9, 2019	D506,910 S *	7/2005	Tham-itthisak	D7/509
		6,991,128 B1 *	1/2006	Russo	B65D 43/0212 220/713
	Related U.S. Application Data	D528,660 S	9/2006	Lornage	
(63)	Continuation of application No. 29/596,977, filed on Mar. 13, 2017, now Pat. No. Des. 847,571.	D539,649 S *	4/2007	Smith	D9/435
(51)	LOC (12) Cl. 07-01	D559,629 S	1/2008	Gifford, Jr.	
(52)	U.S. Cl.	D568,127 S	5/2008	Oas	
	USPC D7/392.1 ; D7/396.2; D8/33; D8/34	7,404,345 B1	7/2008	Dipprey	
(58)	Field of Classification Search	D590,662 S	4/2009	Cheng	
	USPC D7/509, 510, 511, 523, 532, 534, 536, D7/300.1, 533, 394, 395, 531, 608, 529, D7/507, 530, 392.1, 396.2, 387, 391, 213; D24/197; 220/592.16, 592.17, 704, 705, 220/706, 707; D9/435, 447, 572, 573; D8/33, 34	D592,056 S *	5/2009	Tedford, Jr.	D9/447
	CPC A47G 19/22; A47G 19/2205; A47G 19/2211; A47G 19/2266; A47G 19/2288; B65D 47/066; B65D 43/02; B65D 43/04; A47J 43/27; A47J 41/02	D597,839 S *	8/2009	Stuart	D9/435
	See application file for complete search history.	D614,954 S *	5/2010	Crowell	D9/447
		D620,662 S *	7/2010	Blanchard	D32/54
		D623,476 S	9/2010	Carlson et al.	
		D624,356 S *	9/2010	Davies	D7/392.1
		D627,637 S *	11/2010	Kallenbach	D9/441
		D635,855 S *	4/2011	Smith	D9/447
		D653,512 S	2/2012	Frazier et al.	
		D655,983 S	3/2012	Cozzolino et al.	
		D658,443 S	5/2012	Chiu et al.	
		D662,362 S *	6/2012	Bickert	D7/510
		D664,001 S *	7/2012	Liu	D7/510
		D672,236 S	12/2012	Zomorodi et al.	
		D673,040 S *	12/2012	Stephan	D9/436
		D675,524 S *	2/2013	Bickert	D7/392.1
		D675,873 S *	2/2013	Miller	D7/510
		D679,971 S	4/2013	Weyer et al.	
		D688,746 S	8/2013	Hung et al.	
		D698,496 S	1/2014	Smith	
		D699,571 S	2/2014	Zomorodi et al.	
(56)	References Cited	D700,023 S *	2/2014	Munson	D7/698
	U.S. PATENT DOCUMENTS	D718,627 S	12/2014	Rasgon	
	2,765,639 A * 10/1956 Vestal A47G 19/2272 220/713	D721,924 S	2/2015	Trafton	
	3,246,786 A 4/1966 Holley	D733,496 S	7/2015	Pisarevsky	
		D744,277 S *	12/2015	Kostler	D7/396.2



D744,279 S	12/2015	Arciero et al.	
D752,436 S *	3/2016	Crudgington	D9/434
D763,621 S *	8/2016	Szymanski	D7/392.1
D769,719 S	10/2016	Leben	
D774,827 S *	12/2016	Miller	D7/507
D775,492 S *	1/2017	Elias	D7/392.1
D789,247 S	6/2017	Burton et al.	
D790,277 S *	6/2017	Mackesy, II	D7/507
D796,953 S *	9/2017	Katopis	D9/438
D812,419 S *	3/2018	Yao	D7/392.1
D813,606 S	3/2018	O’Nan et al.	
D814,705 S	4/2018	Norris	
D814,895 S	4/2018	Malaspino	
D816,162 S	4/2018	Fassi	
D820,678 S *	6/2018	Chapman	D9/447
D830,799 S	10/2018	Najera et al.	
D833,807 S *	11/2018	Mebbersson	D7/392.1
D847,571 S *	5/2019	Berresheim	D7/507
2005/0150889 A1 *	7/2005	Perra	B65D 17/28 220/254.1
2007/0215620 A1 *	9/2007	Kasper	B65D 17/50 220/260
2009/0050641 A1	2/2009	Ivey	
2009/0236409 A1	9/2009	Flores	
2009/0255941 A1	10/2009	Kuntz	
2017/0251852 A1	9/2017	O’Nan et al.	
2018/0064273 A1 *	3/2018	Chiou	A47G 19/2272
2019/0217997 A1 *	7/2019	Lofholm	B65D 43/02

OTHER PUBLICATIONS

https://www.amazon.com/Stainless-Steel-Round-Bottle-Opener/dp/B00ENIO7IG/ref=sr_1_194?crd=V96LRD48XLPC&dchild=1&keywords=round+bottle+opener&qid=1586880738&sprefix=round+bottle+%2Caps%2C145&sr=8-194 (Year: 2013).*

Webpage printout for Bottle Openers, <https://www.customink.com/products/categories/bottle-openers/398/styles>, printed on Nov. 8, 2018 (2 pages).

Webpage printout for IPOW Stainless Steel Cork Screw Wing Corkscrew Multifunction Wine Cap Opener, found at <https://www.walmart.com>, printed on Nov. 8, 2018 (8 pages).

Webpage printout for Credit Card Shaped Bottle Openers, found at DiscountMugs.com, <https://www.discountmugs.com/product/x20165-credit-card-shaped-bottle-openers/>, printed on Nov. 8, 2018 (3 pages).

Webpage printout for Star Wars Millenium Falcon Metal Bottle Opener Zinc Alloy—Non-magnetic Opener 24" Version: Kitchen & Dining, found at Amazon.com, https://www.amazon.com/Millenium-Falcon-Metal-Bottle-Opener/dp/B00XYEJV54/ref=asc_df_B00XYEJV54/?tag=hyprod-20&linkCode=df0&hvadid=198094063648&hvpos=1o2&hvnetw=g&hvrnd=7249959309631880289&hvpone=&hvptwo=&hvqmt=&hvdev=c&hvdvcmdl=&hvlocint=&hvlocphy=9008192&hvtargid=pla-318015568222&psc=1, printed on Nov. 9, 2018 (8 pages).

* cited by examiner

Primary Examiner — Jae Liang

(74) Attorney, Agent, or Firm — Lewis Rice LLC

(57) CLAIM

The ornamental design for a beverage container, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a beverage container showing my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom perspective view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a bottom perspective view of a second embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 6 is a bottom view of the second embodiment of FIG. 5;

FIG. 7 is a bottom perspective view of a third embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 8 is a bottom view of the third embodiment of FIG. 7;

FIG. 9 is a bottom perspective view of a fourth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 10 is a bottom view of the fourth embodiment of FIG. 9;

FIG. 11 is a bottom perspective view of a fifth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 12 is a bottom view of the fifth embodiment of FIG. 11;

FIG. 13 is a bottom perspective view of a sixth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 14 is a bottom view of the sixth embodiment of FIG. 13;

FIG. 15 is a bottom perspective view of a seventh embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 16 is a bottom view of the seventh embodiment of FIG. 15;

FIG. 17 is a bottom perspective view of an eighth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 18 is a bottom view of the eighth embodiment of FIG. 17;

FIG. 19 is a bottom perspective view of a ninth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 20 is a bottom view of the ninth embodiment of FIG. 19;

FIG. 21 is a bottom perspective view of a tenth embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment;

FIG. 22 is a bottom view of the tenth embodiment of FIG. 21;

FIG. 23 is a bottom perspective view of an eleventh embodiment of FIG. 1, the only difference being the configuration of the opener, it being understood that all other surfaces are the same as those of the first embodiment; and,

FIG. 24 is a bottom view of the eleventh embodiment of FIG. 23.

The broken lines in the drawings depict portions of the beverage container that form no part of the claimed design.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D886,516 S
APPLICATION NO. : 29/676263
DATED : June 9, 2020
INVENTOR(S) : Ken Berresheim


Page 1 of 25

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Drawings

Please replace Drawing Sheets 1-24 with the attached Drawing Sheets 1-24 showing the corrected Figures.

Signed and Sealed this
Third Day of November, 2020

A handwritten signature in black ink, appearing to read "Andrei Iancu", written in a cursive style.

Andrei Iancu
Director of the United States Patent and Trademark Office




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24