



US00D886561S

(12) **United States Design Patent**
Lundbaeck

(10) **Patent No.:** **US D886,561 S**

(45) **Date of Patent:** **** Jun. 9, 2020**

(54) **DRILL DRIVER**

(71) Applicant: **Robert Bosch GmbH**, Stuttgart (DE)

(72) Inventor: **Andreas Lundbaeck**, Stockholm (SE)

(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/671,601**

(22) Filed: **Nov. 28, 2018**

(30) **Foreign Application Priority Data**

May 29, 2018 (EM) 005286978

(51) **LOC (12) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/68**

(58) **Field of Classification Search**
USPC D8/61, 67, 68
CPC . B21J 15/043; B21J 15/22; B21J 15/36; B21J
15/326

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D411,947 S *	7/1999	Sugimoto	D8/61
D514,910 S *	2/2006	Nagasaka	D8/68
D516,889 S *	3/2006	Aglassinger	D8/68
D517,885 S *	3/2006	Corcoran	D8/68
D533,421 S *	12/2006	Aglassinger	D8/68
D536,944 S *	2/2007	Tsai	D8/68
D539,109 S *	3/2007	Aglassinger	D8/68
D541,611 S *	5/2007	Aglassinger	D8/68
D545,159 S *	6/2007	Schoen	D8/68
D547,154 S *	7/2007	Lee	D8/68
D547,631 S *	7/2007	Schmid	D8/68
D547,632 S *	7/2007	Lee	D8/68
D549,061 S *	8/2007	Schmid	D8/68

D550,052 S *	9/2007	Lee	D8/68
D562,097 S *	2/2008	Baxter	D8/68
D576,006 S *	9/2008	Houghton	D8/68
D576,854 S *	9/2008	Aglassinger	D8/68
D580,726 S *	11/2008	Murray	D8/68
D605,486 S *	12/2009	Aglassinger	D8/68
D605,487 S *	12/2009	Aglassinger	D8/68
D605,488 S *	12/2009	Aglassinger	D8/68
D605,489 S *	12/2009	Aglassinger	D8/68
D609,543 S *	2/2010	Misaki	D8/68
D650,652 S *	12/2011	Aglassinger	D8/68
8,267,192 B2 *	9/2012	Lopano	B25F 5/02 173/170
D676,730 S *	2/2013	Kubono	D8/68
D700,820 S *	3/2014	Cooper	D8/68

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Maginot, Moore & Beck
LLP


(57) **CLAIM**

The ornamental design for a drill driver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a drill driver showing my new design;
 FIG. 2 is a right side elevational view of the drill driver of FIG. 1;
 FIG. 3 is a left side elevational view of the drill driver of FIG. 1;
 FIG. 4 is a front side elevational view of the drill driver of FIG. 1;
 FIG. 5 is a rear side elevational view of the drill driver of FIG. 1;
 FIG. 6 is a top plan view of the drill driver of FIG. 1; and,
 FIG. 7 is a bottom plan view of the drill driver of FIG. 1.
 The broken lines shown in the drawings illustrate portions of the drill driver that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D705,630	S	*	5/2014	Patel	D8/68
D725,980	S	*	4/2015	Tirone	D8/68
D739,200	S	*	9/2015	Elder	D8/68
D753,976	S	*	4/2016	Kalinowski	D8/68
D779,903	S	*	2/2017	Koeniger	D8/68
2011/0011610	A1	*	1/2011	Welke	B25B 21/00 173/217

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7