



US00D886566S

(12) **United States Design Patent**  
**Hill**

(10) **Patent No.:** **US D886,566 S**  
(45) **Date of Patent:** **\*\* Jun. 9, 2020**

- (54) **HOUSING FOR CONTAINING A SENSING MECHANISM**
- (71) Applicant: **Carrier Corporation**, Farmington, CT (US)
- (72) Inventor: **Matthew S. Hill**, Sublimity, OR (US)
- (73) Assignee: **CARRIER CORPORATION**, Palm Beach Gardens, FL (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/616,684**
- (22) Filed: **Sep. 7, 2017**

7,102,486 B2 \* 9/2006 Yamagishi ..... G07C 9/00166  
283/68  
7,249,477 B2 \* 7/2007 Toloday ..... E05B 63/0065  
292/244  
8,267,441 B2 \* 9/2012 Lin ..... E05B 53/00  
292/21

(Continued)

*Primary Examiner* — Antoine Duval Davis  
(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

I claim, the ornamental design for a housing for containing a sensing mechanism, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a housing for containing a sensing mechanism, showing our new design in an exemplary embodiment;  
 FIG. 2 is a front view of the embodiment shown in FIG. 1;  
 FIG. 3 is a back view of the embodiment shown in FIG. 1;  
 FIG. 4 is a side view of the embodiment shown in FIG. 1;  
 FIG. 5 is another side view of the embodiment shown in FIG. 1;  
 FIG. 6 is a top plan view of the embodiment shown in FIG. 1; and,  
 FIG. 7 is a bottom plan view of the embodiment shown in FIG. 1.

The broken lines are for environmental purpose only and form no part of the claimed design.

The dash-dot lines are boundary lines delineating claimed subject matter within the dash-dot lines from unclaimed, unshaded subject matter outside of the dash-dot lines.

Also, references to “side,” “top,” “bottom,” “front,” and “back” in the Figure Descriptions are not necessarily meant to require any specific orientation of the article as viewed. A molded cover according to the claimed design may be used in any orientation.

**Related U.S. Application Data**


- (62) Division of application No. 29/537,707, filed on Aug. 28, 2015, now Pat. No. Des. 800,533.
- (51) **LOC (12) Cl.** ..... **08-06**
- (52) **U.S. Cl.**  
USPC ..... **D8/301; D8/330**
- (58) **Field of Classification Search**  
USPC ..... D8/300, 301, 307, 308, 330, 331, 332, D8/350  
CPC . E05B 65/0032; E05B 65/10; G07C 9/00904; G07C 9/00944; G07C 2009/00912; G07C 2009/00928; G07C 2009/00936; G07C 2009/00952; G07C 2009/0096  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D313,926 S \* 1/1991 Kautt ..... D8/301
- D385,790 S \* 11/1997 Setty ..... D9/438
- D390,769 S \* 2/1998 Hankel ..... D8/301
- D501,388 S \* 2/2005 Carpintero ..... D8/301

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

8,291,733	B2 *	10/2012	Chiou .....	E05B 47/0661 292/279
9,273,495	B2 *	3/2016	Tien .....	E05B 65/1053
D794,414	S *	8/2017	Chou .....	D8/330
D814,265	S *	4/2018	Kasper .....	D8/330
D817,265	S *	5/2018	Liu .....	D13/102
D840,214	S *	2/2019	Leites .....	D8/353

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7