

US00D886635S

(12)


United States Design Patent

Kilduff et al.

(10) Patent No.: US D886,635 S

(45) Date of Patent: ** Jun. 9, 2020

(54)	CONTAINER	D287,570 S	1/1987	Olsen
		5,197,616 A	3/1993	Buono
(71)	Applicant: POLLEN GEAR LLC, New York, NY (US)	5,769,267 A	6/1998	Duynslager et al.
		D406,921 S	3/1999	Roeder
		5,894,949 A	4/1999	Taskis et al.
		D413,799 S	9/1999	Schlatter
(72)	Inventors: Edward Kilduff, New York, NY (US); Shane Grant Blomberg, Brooklyn, NY (US)	6,095,708 A *	8/2000	Butaud A45D 34/041 401/209
		D441,284 S	5/2001	Saur et al.
		D442,864 S	5/2001	Davies
		D453,473 S	2/2002	Bianco
(73)	Assignee: POLLEN GEAR LLC, Hermosa Beach, CA (US)	D455,233 S *	4/2002	Look D19/66
		6,488,431 B1 *	12/2002	Bocola A45D 34/041 401/209
(**)	Term: 15 Years	6,551,672 B2	4/2003	Hessok et al.
		D493,721 S	8/2004	Puigbo
(21)	Appl. No.: 29/626,177	D506,128 S	6/2005	Foi
		D507,679 S	7/2005	Ashiwa et al.
(22)	Filed: Nov. 15, 2017	6,986,807 B2	1/2006	Brunk
		D515,938 S *	2/2006	Shurtleff D9/529
(51)	LOC (12) Cl. 09-01	D516,923 S *	3/2006	Moore D9/682
(52)	U.S. Cl.	D519,837 S	5/2006	Sturk et al.
	USPC D9/726	D522,866 S	6/2006	Bakic
(58)	Field of Classification Search	7,185,780 B2	3/2007	Nomula
	USPC D9/442, 695–699, 702–714, 723–729; D24/199; D28/7; 132/317, 318, 320; 222/95, 207, 212, 335	D551,570 S *	9/2007	Shurtleff D9/727
	CPC A45D 34/00; A45D 40/00; B65D 81/3272	D554,367 S	11/2007	Chou et al.
	See application file for complete search history.	D565,952 S	4/2008	Mettler et al.
		D574,240 S	8/2008	Szczesniak
		D578,891 S	10/2008	Puigbo
		7,527,159 B2	5/2009	Brozell
		D624,239 S	9/2010	Breidenbach et al.
		D626,005 S	10/2010	Duquet
		7,815,061 B1	10/2010	Robinson et al.
		D628,089 S	11/2010	Ashiwa et al.
		D633,386 S	3/2011	Taber et al.
		D634,202 S	3/2011	Zamberlan et al.
		D635,030 S	3/2011	L’Abbate
		D638,300 S	5/2011	L’Abbate
		D641,257 S	7/2011	Thiebaut et al.
		D645,763 S *	9/2011	Lee D9/725
		8,205,761 B2	6/2012	Stull et al.
		D679,990 S	4/2013	O’Brien et al.
		D687,299 S	8/2013	Peykoff et al.
		D691,480 S	10/2013	Shukla
		8,672,158 B2	3/2014	Taber et al.
		D715,156 S	10/2014	Park
		8,863,947 B2	10/2014	Sibley
		D718,142 S *	11/2014	Son D9/529
		D720,809 S	1/2015	Jour
		8,956,066 B2	2/2015	Young et al.
		D725,490 S	3/2015	Grosso et al.
		D730,735 S	6/2015	Sommer
		D732,893 S	6/2015	Bronwasser et al.
(56)	References Cited			
	U.S. PATENT DOCUMENTS			
	D34,061 S	2/1901	Scattergood	
	D65,326 S	7/1924	Cahalane	
	2,076,551 A	4/1937	Conner	
	2,077,215 A	4/1937	Conner	
	2,077,216 A	4/1937	Conner	
	2,711,766 A	6/1955	Archer et al.	
	2,804,103 A	8/1957	Wall	
	2,980,275 A	4/1961	Adolf	
	3,090,987 A *	5/1963	Ruekberg A45D 34/041 401/213	
	3,311,248 A	3/1967	Marchant	
	3,601,250 A	8/1971	Merila	
	D237,361 S	10/1975	Picker	
	4,020,965 A	5/1977	Northup	
	4,090,631 A	5/1978	Grussen	
	4,393,974 A	7/1983	Levesque	



9,045,265	B2	6/2015	Adamczak	
D735,946	S	8/2015	Ko	
D737,149	S	8/2015	Son	
D739,730	S	9/2015	Marotti	
D739,741	S	9/2015	Staab	
D751,921	S	3/2016	Lam	
9,456,990	B2	10/2016	McInnes et al.	
D781,151	S	3/2017	Lerman	
D797,559	S	9/2017	Lerman	
D799,328	S	10/2017	Puigbo	
D799,853	S	10/2017	Cartledge et al.	
D827,450	S	9/2018	Loukov	
D828,113	S	9/2018	Fleischhut	
D828,164	S	9/2018	Kim	
2005/0074528	A1	4/2005	Servaux et al.	
2008/0060665	A1*	3/2008	Umeno	A45D 19/02 132/112
2008/0308518	A1	12/2008	Sprishen	
2008/0314900	A1	12/2008	Biesecker et al.	
2009/0212004	A1	8/2009	Metzger et al.	
2010/0012534	A1	1/2010	Hoffman	
2011/0147334	A1	6/2011	Mettu et al.	
2013/0189018	A1*	7/2013	Choi	A45D 34/042 401/269
2015/0076103	A1	3/2015	Koller et al.	
2015/0122767	A1	5/2015	Mettu et al.	
2015/0122769	A1	5/2015	Taber et al.	
2015/0298866	A1	10/2015	Hagen	
2016/0030285	A1	2/2016	Miceli et al.	
2016/0107796	A1	4/2016	Sibley	

FOREIGN PATENT DOCUMENTS

CN	301921442	S	5/2012
CN	303603019	S	3/2016
FR	2720376	A1	12/1995
JP	2001158455	A	6/2001
SL	9650055		10/1996
TR	200501421		7/2005
WO	8302763	A1	8/1983

OTHER PUBLICATIONS

“7ml clear glass low-profile jar with 38-400 neck finish”, Container & packaging Supply, retrieved Aug. 2017.
 “Frosted Glass Low Profile Jar—7ml”, Saffire Blue inc., retrieved Aug. 2017.
 “Glass Jar: EL-32315”, Products, McKeman Packaging Clearing House, retrieved Aug. 2017, 4 pages.
 “McKeman Adds Low Profile, Frosted Glass Jars”, Beauty Packaging, published Jun. 2012, 7 pages.
 Alameda Packaging, Child Resistant Plastic Caps; https://www.alamedapackaging.com/Catalog/Caps/Plastic_Caps/NonDispensing_Caps/181/Child_Resistant_Plastic_Caps.html; Oct. 3, 2014.
 DHgate.com, Clear color 5ml glass jar tempered glass storage jars dab wax jar container oil concentrate & cosmetic cream container, <http://www.dhgate.com/product/clear-color-5ml-glass-jar-tempered-glass/238531495.html>; Apr. 29, 2016.
 Holistic Packaging Company <http://holisticpackaging.com/>, Apr. 29, 2016.
 SKS Science, White Child Resistant PE Lined “Push Down” Caps, <https://www.sks-science.com/closures-p-2756.html>; Aug. 10, 2005.
 Van Blarcom Closures Inc., Two-Piece Plastic; Saf-Cap IIIA, ASTM Type 1A, Oct. 20, 2004.

* cited by examiner

Primary Examiner — Janice Patyk

(74) Attorney, Agent, or Firm — RMCK Law Group PLC

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of embodiment one, of a container, showing our new design.

FIG. 2 is a bottom perspective view thereof.

FIG. 3 is a side view thereof.

FIG. 4 is a top view thereof.

FIG. 5 is a bottom view thereof.

FIG. 6 is a cross-sectional view thereof, taken along line 6-6 of FIG. 3.

FIG. 7 is a top perspective view of the body thereof.

FIG. 8 is a bottom perspective view of the body thereof.

FIG. 9 is a side view of the body thereof.

FIG. 10 is a top view of the body thereof.

FIG. 11 is a bottom view of the body thereof.

FIG. 12 is a cross-sectional view of the body thereof, taken along line 12-12 of FIG. 9.

FIG. 13 is a top perspective view of the cap thereof.

FIG. 14 is a bottom perspective view of the cap thereof.

FIG. 15 is a side view of the cap thereof.

FIG. 16 is a top view of the cap thereof.

FIG. 17 is a bottom view of the cap thereof.

FIG. 18 is a cross-sectional view of the cap thereof, taken along line 18-18 of FIG. 15.

FIG. 19 is a top perspective view of embodiment two, of a container, showing our new design.

FIG. 20 is a bottom perspective view thereof.

FIG. 21 is a side view thereof.

FIG. 22 is a top view thereof.

FIG. 23 is a bottom view thereof.

FIG. 24 is a cross-sectional view thereof, taken along line 24-24 of FIG. 21.

FIG. 25 is a top perspective view of the body thereof.

FIG. 26 is a bottom perspective view of the body thereof.

FIG. 27 is a side view of the body thereof.

FIG. 28 is a top view of the body thereof.

FIG. 29 is a bottom view of the body thereof.

FIG. 30 is a cross-sectional view of the body thereof, taken along line 30-30 of FIG. 27.

FIG. 31 is a top perspective view of a cap thereof.

FIG. 32 is a bottom perspective view of the cap thereof.

FIG. 33 is a side view of the cap thereof.

FIG. 34 is a top view of the cap thereof.

FIG. 35 is a bottom view of the cap thereof.

FIG. 36 is a cross-sectional view of the cap thereof, taken along line 36-36 of FIG. 33.

FIG. 37 is a top perspective view of embodiment three, of a container, showing our new design.

FIG. 38 is a bottom perspective view thereof.

FIG. 39 is a side view thereof.

FIG. 40 is a top view thereof.

FIG. 41 is a bottom view thereof.

FIG. 42 is a cross-sectional view thereof, taken along line 42-42 of FIG. 39.

FIG. 43 is a top perspective view of the body thereof.

FIG. 44 is a bottom perspective view of the body thereof.

FIG. 45 is a side view of the body thereof.

FIG. 46 is a top view of the body thereof.

FIG. 47 is a bottom view of the body thereof.

FIG. 48 is a cross-sectional view of the body thereof, taken along line 48-48 of FIG. 45.

FIG. 49 is a top perspective view of the cap thereof.

FIG. 50 is a bottom perspective view of the cap thereof.

FIG. 51 is a side view of the cap thereof.

FIG. 52 is a top view of the cap thereof.

FIG. 53 is a bottom view of the cap thereof; and,

FIG. 54 is a cross-sectional view of the cap thereof, taken along line 54-54 of FIG. 51.

The broken lines in the figures illustrate the portions of the design that form no part of the claimed design.

1 Claim, 15 Drawing Sheets




FIG. 1








FIG. 2






FIG. 7








FIG. 8






FIG. 13




FIG. 16




FIG. 14




FIG. 17




FIG. 15




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25








FIG. 26






FIG. 31




FIG. 34




FIG. 32




FIG. 35




FIG. 33




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43








FIG. 44






FIG. 49




FIG. 52




FIG. 50




FIG. 53




FIG. 51




FIG. 54