



US00D886911S

(12) **United States Design Patent**
Horikoshi et al.

(10) **Patent No.:** **US D886,911 S**
(45) **Date of Patent:** **** Jun. 9, 2020**

(54) **SPINNING TOP TOY**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **TOMY COMPANY, LTD.**, Tokyo (JP)

JP 6431629 B1 * 11/2018 A63H 1/02

(72) Inventors: **Kenji Horikoshi**, Tokyo (JP); **Hiroyuki Matsukawa**, Tokyo (JP)

* cited by examiner

(73) Assignee: **TOMY COMPANY, LTD.**, Tokyo (JP)

Primary Examiner — Catherine A Tuttle

(74) *Attorney, Agent, or Firm* — Oliff PLC

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/676,232**

The ornamental design for a spinning top toy, as shown and described.

(22) Filed: **Jan. 9, 2019**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jul. 9, 2018 (JP) 2018-015043

(51) **LOC (12) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/460**

(58) **Field of Classification Search**
USPC D21/455–464; 446/236–266
CPC A63H 1/00–32
See application file for complete search history.

FIG. 1 is a front elevational view of the spinning top toy; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left-side elevational view thereof; FIG. 4 is a right-side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front, top and right side perspective view thereof; FIG. 8 is a disassembled front, top and right side perspective view thereof; FIG. 9 is a disassembled rear, bottom and left side perspective view thereof; FIG. 10 is a top plan view as in FIG. 5, but omitting the oblique hatching from the transparent portion to clarify the underlying structures; FIG. 11 is a perspective view as in FIG. 7, but omitting the oblique hatching from the transparent portion to clarify the underlying structures; FIG. 12 is a top plan view as in FIG. 5, but omitting the structures underlying the transparent portion to clarify the overlying transparent structures; and, FIG. 13 is a perspective view as in FIG. 7, but omitting the structures underlying the transparent portion to clarify the overlying transparent structures.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D629,051 S *	12/2010	Nishimoto	D21/460
D629,469 S *	12/2010	Nishimoto	D21/460
D662,556 S *	6/2012	Horikoshi	D21/460
D665,858 S *	8/2012	Horikoshi	D21/460
D827,045 S *	8/2018	Horikoshi	D21/460
D828,456 S *	9/2018	Muraki	D21/460
D839,967 S *	2/2019	Horikoshi	D21/460
D855,117 S *	7/2019	Horikoshi	D21/460
D862,604 S *	10/2019	Matsukawa	D21/460
D862,606 S *	10/2019	Horikoshi	D21/460
2011/0256795 A1 *	10/2011	Ujita	A63H 1/00 446/264

1 Claim, 13 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG. 6





FIG. 7






FIG. 8




FIG. 9

FIG.10




FIG.11





FIG.12






FIG.13