



US00D886994S

(12) **United States Design Patent** (10) **Patent No.:** **US D886,994 S**
Lundkvist et al. (45) **Date of Patent:** **** *Jun. 9, 2020**

(54) **TUBE COUPLING**

(71) Applicant: **GE HEALTHCARE BIO-SCIENCES AB**, Uppsala (SE)

(72) Inventors: **Mats Lundkvist**, Uppsala (SE); **Bjorn A. Johansson**, Uppsala (SE); **Tim Francois**, Uppsala (SE)

(73) Assignee: **GE HEALTHCARE BIO-SCIENCES AB**, Uppsala (SE)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/630,285**

(22) Filed: **Dec. 20, 2017**

(30) **Foreign Application Priority Data**

Jun. 27, 2017 (GB) 6014450

(51) **LOC (12) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/129; D23/262**

(58) **Field of Classification Search**
USPC D23/259, 262, 263, 265–266; D8/382, D8/386; 285/15–16, 31, 33, 45, 53, 86, 285/104, 125.1, 179, 180, 285.1, 294.1, 285/294.3, 373, 417, 3, 39, 105, 113, 285/257, 305, 321, 323, 340, 423; 251/146–152; 138/99; D24/127, 129, D24/110.6, 110.12

CPC F16L 59/14; F16L 17/10; F16L 33/16
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,243,206 A * 3/1966 Samer F16L 5/027
16/2.1
3,649,050 A * 3/1972 Woodling F16L 19/10
271/308

D232,519 S * 8/1974 Saisho D8/386
4,541,658 A * 9/1985 Bartholomew F16L 37/0987
251/149.6
D293,883 S * 1/1988 Hirohata D8/382
4,951,391 A * 8/1990 Seabra B23P 13/02
29/558
5,909,902 A * 6/1999 Seabra F16L 37/0925
285/322
6,568,714 B2 * 5/2003 Stripe F16L 33/04
285/239
7,690,693 B2 * 4/2010 Moner F16L 25/009
285/247

(Continued)

OTHER PUBLICATIONS

Design U.S. AppL. No. 29/630,293, filed Dec. 20, 2017.

Primary Examiner — Amy C Wierenga

(74) *Attorney, Agent, or Firm* — Eversheds Sutherland (US) LLP


(57) **CLAIM**

We claim the ornamental design for a tube coupling, as shown and described.

DESCRIPTION

FIG. 1 is a right side upper perspective view in a released position showing our new design of the tube coupling; FIG. 2 is a right side upper perspective view in a clamped position showing our new design of the tube coupling; FIG. 3 is a left side lower perspective view in a released position showing our new design of the releasable tube coupling; FIG. 4 is a right side elevation view in a clamped position showing our new design of the tube coupling; and, FIG. 5 is a right side elevation view in a released position showing our new design of the tube coupling.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

9,261,214	B2 *	2/2016	Guest	F16L 37/0925
10,221,979	B2 *	3/2019	Owen	F16L 37/148
2004/0108712	A1 *	6/2004	Liang	F16L 37/0925
				285/39
2011/0309614	A1 *	12/2011	Guest	F16L 37/0925
				285/323
2012/0306197	A1 *	12/2012	Liu	B29C 45/261
				285/323

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5