



US00D887226S

(12) **United States Design Patent** (10) **Patent No.:** **US D887,226 S**
Jacobsen (45) **Date of Patent:** **** Jun. 16, 2020**

(54) **CONTAINER WITH REMOVABLE TRAYS**

(71) Applicant: **RTIC OUTDOORS, LLC**, Houston, TX (US)

(72) Inventor: **James Matthew Jacobsen**, Houston, TX (US)

(73) Assignee: **RTIC Outdoors, LLC**, Houston, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/669,400**

(22) Filed: **Nov. 7, 2018**

(51) **LOC (12) Cl.** **07-07**

(52) **U.S. Cl.**
USPC **D7/629; D7/605**

(58) **Field of Classification Search**
USPC D7/629, 630, 605, 601, 602, 538-542,
D7/391, 393, 550.1-557; D9/414,
D9/424-432

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D224,554 S * 8/1972 Swett D7/629
D266,299 S * 9/1982 Taylor D7/540

(Continued)

Primary Examiner — Terry A Wallace

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.

(57) **CLAIM**

The ornamental design for a container with removable trays, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container with removable trays, showing my new design, in a closed position with a lid on;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view of the container, in an opened position with the lid removed and an upper removable tray and a pair of lower removable trays positioned in the container;
FIG. 9 is a front view of the upper removable tray removed from the container;
FIG. 10 is a rear view thereof;
FIG. 11 is a right side thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a top view thereof;
FIG. 14 is a bottom view thereof;
FIG. 15 is a perspective view of the container, in an opened position with the lid and the upper removable tray removed and a pair of lower removable trays positioned in the container;
FIG. 16 is a front view of the lower removable trays removed from the container;
FIG. 17 is a rear view thereof;
FIG. 18 is a right side thereof;
FIG. 19 is a left side view thereof;
FIG. 20 is a top view thereof;
FIG. 21 is a bottom view thereof;
FIG. 22 is a perspective view of the container, in an opened position with the lid and the upper removable tray removed and the pair of lower removable trays removed.
FIG. 23 is a front view of the container with the removable trays removed from the container;
FIG. 24 is a rear view thereof;
FIG. 25 is a right side thereof;
FIG. 26 is a left side view thereof;
FIG. 27 is a top view thereof;
FIG. 28 is a bottom view thereof;
FIG. 29 is a perspective view of the lid of the container, removed from the container;
FIG. 30 is a front view of the container with the removable trays removed from the container;
FIG. 31 is a rear view thereof;
FIG. 32 is a right side thereof;

(Continued)




FIG. 33 is a left side view thereof;
FIG. 34 is a top view thereof; and,
FIG. 35 is a bottom view thereof.

The container is transparent.

The surface shading and contour lines shown in the drawings represent the three-dimensional character and contour of the article, and are not intended to illustrate material, surface ornamentation or surface decoration.

FIGS. 8-35 are shown separated and separately for clarity of illustration.

1 Claim, 27 Drawing Sheets

(58) **Field of Classification Search**

CPC A45C 11/20; A01K 5/0014; A01K 7/00;
B65D 1/24; B65D 1/00; B65D 1/36;
B65D 1/34; B65D 81/3813; B65D
81/3834; B65D 81/3823; B65D 81/13;
B65D 81/38; B65D 5/2047; B65D

25/2897; B65D 25/04; B65D 43/0212;
B65D 43/0218; B65D 77/0433; B65D
45/20; B65D 45/30; B65D 2543/00296;
B65D 2543/0537; B65D 2543/00092;
B65D 2543/00685; B65D 2543/00796;
A47G 19/02; A47G 23/06; A47B 23/002

See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D286,729	S *	11/1986	Tzifkansky	D7/629
8,733,550	B2 *	5/2014	Harvey	F16J 15/027 206/508
D708,913	S *	7/2014	Ng	D7/629
D763,629	S *	8/2016	Swartz	D7/629
2010/0224531	A1 *	9/2010	Claffy	B65D 81/3823 206/561
2014/0103033	A1 *	4/2014	Beckman	B65D 43/0212 220/4.01

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17





FIG. 18





FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35