



US00D887268S

(12) **United States Design Patent**
Rhea

(10) **Patent No.:** **US D887,268 S**

(45) **Date of Patent:** **** Jun. 16, 2020**

(54) **LID FOR BALL BUCKET**

(71) Applicant: **Ed W. Rhea**, Monett, MO (US)

(72) Inventor: **Ed W. Rhea**, Monett, MO (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/668,172**

(22) Filed: **Oct. 29, 2018**

(51) **LOC (12) Cl.** **09-07**

(52) **U.S. Cl.**
USPC **D9/449**; D32/54

(58) **Field of Classification Search**
USPC D32/37, 53, 53.1, 54; D3/294, 304, 307,
D3/315, 905; D7/603; D9/449
CPC B44D 3/123; B44D 3/128; B44D 3/12;
B44D 3/126; B44D 3/127; B65D
2543/00092
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,137,409	A *	6/1964	Davis	B65D 43/0212 220/380
4,582,214	A *	4/1986	Dart	B65D 21/0219 206/508
4,893,723	A *	1/1990	Seabolt	B44D 3/12 220/570
4,923,085	A *	5/1990	Lillelund	B65D 43/021 220/282
D309,109	S *	7/1990	Allen	D9/435
D350,688	S *	9/1994	Wardell, Jr.	B65D 43/0212 D9/435
D376,952	S *	12/1996	Rausch	D7/391
6,460,287	B1 *	10/2002	Louie	A01K 97/06 206/315.11
D495,600	S *	9/2004	Kouri	D9/435
D522,362	S *	6/2006	Liebe	D9/449
D532,691	S *	11/2006	Vogel	D9/435
D567,656	S *	4/2008	Neias	D9/439
D582,274	S *	12/2008	Vogel	D9/435

D646,893	S *	10/2011	Whalen	D3/318
D712,263	S *	9/2014	Humm	D9/449
D712,264	S *	9/2014	Humm	D9/449
D784,811	S *	4/2017	Scevola	D7/387
D793,235	S *	8/2017	Bois	D9/435
D794,456	S *	8/2017	Rockwell	D9/434

(Continued)

OTHER PUBLICATIONS

RodsSports.com, Diamond official fastpitch 12YSC softballs with bucket, undated online product page, retrieved Mar. 8, 2020 from <URL:https://www.rodssports.com/product/diamond-official-fastpitch-12ysc-softballs-with-bucket-18-ball-pack-w-bucket/> (Year: 2020).*

Primary Examiner — Sheryl Lane

Assistant Examiner — Calvin E Vansant

(74) *Attorney, Agent, or Firm* — Head, Johnson, Kachigian & Wilkinson, PC


(57) **CLAIM**

The ornamental design for a lid for a ball bucket, as shown and described.

DESCRIPTION

FIG. 1 is perspective view of the lid;
FIG. 2 is a front view of the lid;
FIG. 3 is a back view of the lid;
FIG. 4 is a right side view of the lid;
FIG. 5 is a left side view of the lid;
FIG. 6 is a top view of the lid;
FIG. 7 is a bottom view of the lid;
FIG. 8 is a perspective view of the lid in place on a ball bucket, with the hinged portion in a closed position; and,
FIG. 9 is a perspective view of the lid in place on a ball bucket, with the hinged portion in an alternate open position. The broken lines illustrating the ball bucket form no part of the claimed design but rather show the environment in which the design may be used.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2010/0140304 A1* 6/2010 Walunis B65D 43/161
222/480
2011/0000919 A1* 1/2011 Whalen B65D 25/32
220/500

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9