



US00D887294S

(12) **United States Design Patent** (10) **Patent No.:** **US D887,294 S**
Watts et al. (45) **Date of Patent:** **** Jun. 16, 2020**

(54) **FRAME FOR LOCALIZATION SYSTEM**

(71) Applicant: **Humatics Corporation**, Cambridge,
MA (US)

(72) Inventors: **Nathan J. Watts**, Westminster, MA
(US); **Peter A. Secor**, Shirley, MA (US)

(73) Assignee: **Humatics Corporation**, Waltham, MA
(US)

(**) Term: **15 Years**

(21) Appl. No.: **29/662,898**

(22) Filed: **Sep. 10, 2018**

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/70**

(58) **Field of Classification Search**

USPC D24/158, 129, 138, 160, 167, 185–190,
D24/200; D10/60

CPC A61B 6/4441; A61B 17/2255

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D479,805 S	*	9/2003	Tsai		D10/46
D691,730 S	*	10/2013	Smith		D24/189
D729,391 S	*	5/2015	Igwebuike		D24/189
D737,453 S	*	8/2015	Gergely		D24/189
D745,690 S	*	12/2015	Devenish		D24/189
D746,993 S	*	1/2016	Lewis, Jr.		D24/187
D746,994 S	*	1/2016	Lewis, Jr.		D24/187
D746,996 S	*	1/2016	Karlsson		D24/189
D768,294 S	*	10/2016	Brezoczky		D24/124
D808,534 S	*	1/2018	Brezoczky		D24/189

D819,469 S	*	6/2018	Farley		D10/70
RE47,100 E	*	10/2018	Smith		D24/189
D868,267 S	*	11/2019	Del Rossi		D24/189

OTHER PUBLICATIONS

KinetIQ 1000: An RF Alternative to Machine Vision. Online,
published date unknown. Retrieved on Dec. 6, 2019 from URL:
<https://www.humatics.com/products/kinetiq-1000/>.*

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield &
Sacks, P.C.

(57) **CLAIM**

The ornamental design for a frame for localization system,
as shown and described.

DESCRIPTION

FIG. 1 is a front view of a frame for localization system
showing the claimed design;

FIG. 2 is a rear view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a top front perspective view thereof;


FIG. 8 is a bottom front perspective view thereof;


FIG. 9 is a top rear perspective view thereof; and,

FIG. 10 is a bottom rear perspective view thereof.

The broken lines, the areas within them and the areas
surrounded by both broken lines and solid lines depict
portions of the tracker assembly for localization system that
form no part of the claimed design.

1 Claim, 8 Drawing Sheets








FIG. 2



FIG. 4




FIG. 3




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10