



US00D887878S

(12) **United States Design Patent**
Watts et al.

(10) **Patent No.:** **US D887,878 S**
(45) **Date of Patent:** **** Jun. 23, 2020**

(54) **TRACKER ASSEMBLY FOR LOCALIZATION SYSTEM**

D808,534 S * 1/2018 Brezoczky D24/189
D819,469 S * 6/2018 Farley D10/70
RE47,100 E * 10/2018 Smith D24/189
D868,267 S * 11/2019 Del Rossi D24/189

(71) Applicant: **Humatics Corporation**, Cambridge, MA (US)

(72) Inventors: **Nathan J. Watts**, Westminster, MA (US); **Peter A. Secor**, Shirley, MA (US); **Carmen M. Graves**, Cambridge, MA (US)

(73) Assignee: **Humatics Corporation**, Waltham, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/662,892**

(22) Filed: **Sep. 10, 2018**

(51) **LOC (12) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70**

(58) **Field of Classification Search**
USPC D24/158, 129, 138, 160, 167, 185–190, D24/200; D10/60, 61, 62, 65, 70, 80, 46, D10/104.1; D14/192, 240, 242, 356, 358
CPC A61B 6/4441; A61B 17/2255
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D479,805 S * 9/2003 Tsai D10/46
D691,730 S * 10/2013 Smith D24/189
D729,391 S * 5/2015 Igwebuike D24/189
D737,453 S * 8/2015 Gergely D24/189
D745,690 S * 12/2015 Devenish D24/189
D746,993 S * 1/2016 Lewis, Jr. D24/187
D746,994 S * 1/2016 Lewis, Jr. D24/187
D746,996 S * 1/2016 Karlsson D24/189
D768,294 S * 10/2016 Brezoczky D24/124

OTHER PUBLICATIONS

KinetIQ 1000: An RF Alternative to Machine Vision. Online, published date unknown. Retrieved on Dec. 6, 2019 from URL: <https://www.humatics.com/products/kinetiq-1000/>.*

* cited by examiner

Primary Examiner — Susan Bennett Hattan

Assistant Examiner — Omeed Agilee

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks, P.C.

(57) **CLAIM**

The ornamental design for a tracker assembly for localization system, as shown and described.

DESCRIPTION

FIG. 1 is a bottom front perspective view of a tracker assembly for localization system showing the claimed design;

FIG. 2 is a top front perspective view thereof;

FIG. 3 is a bottom rear perspective view thereof;

FIG. 4 is a top rear perspective view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a left side view thereof;


FIG. 8 is a right side view thereof;

FIG. 9 is a bottom view thereof; and,

FIG. 10 is a top view thereof.

The broken lines, the areas within them and the areas surrounded by both broken lines and solid lines depict portions of the tracker assembly for localization system that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7




FIG. 9




FIG. 10