



US00D887932S

(12) **United States Design Patent** (10) **Patent No.:** **US D887,932 S**  
**Owens et al.** (45) **Date of Patent:** **\*\* Jun. 23, 2020**

- (54) **LOWER FRONT END VALANCE**
- (71) Applicants: **John S. Owens**, Pleasant Ridge, MI (US); **Irina Zavatski**, Rochester Hills, MI (US)
- (72) Inventors: **John S. Owens**, Pleasant Ridge, MI (US); **Irina Zavatski**, Rochester Hills, MI (US)
- (73) Assignee: **FCA US LLC**, Auburn Hills, MI (US)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/684,119**
- (22) Filed: **Mar. 19, 2019**

- D751,003 S \* 3/2016 Rugar ..... D12/163
- D751,007 S \* 3/2016 Curic ..... D12/169
- D753,036 S \* 4/2016 Curic ..... D12/169
- D758,259 S \* 6/2016 Messale ..... D12/169
- D762,147 S \* 7/2016 Messale ..... D12/169
- D763,143 S \* 8/2016 Varga ..... D12/169
- D763,744 S \* 8/2016 Behmer ..... D12/169
- D771,536 S \* 11/2016 Wolff ..... D12/169
- D775,038 S \* 12/2016 Frascella ..... D12/169
- D776,021 S \* 1/2017 Kapitonov ..... D12/169
- D781,586 S \* 3/2017 Reinhart ..... D3/318
- D781,587 S \* 3/2017 Mangano ..... D3/318
- D793,294 S \* 8/2017 Lee ..... D12/169
- D793,295 S \* 8/2017 McCabe ..... D12/169
- D797,456 S \* 9/2017 Chen ..... D3/318
- D797,616 S \* 9/2017 Lee ..... D12/169
- D798,201 S \* 9/2017 Zavatski ..... D12/169
- D800,621 S \* 10/2017 Bucher ..... D12/196
- D801,236 S \* 10/2017 Kozub ..... D12/169

(Continued)

**Related U.S. Application Data**

- (63) Continuation-in-part of application No. 29/634,829, filed on Jan. 25, 2018, now Pat. No. Des. 847,025.
- (51) **LOC (12) Cl.** ..... **12-16**
- (52) **U.S. Cl.**  
USPC ..... **D12/196**
- (58) **Field of Classification Search**  
USPC ..... D12/86, 90, 91, 92, 163, 169, 171, 196, D12/216  
CPC ..... B60R 19/02; B60R 19/04; B60R 19/12; B60R 19/52; B60K 11/08; B62D 25/08  
See application file for complete search history.

*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Suzanne E Tisdell  
(74) *Attorney, Agent, or Firm* — Ralph E. Smith

(57) **CLAIM**

The ornamental design for a lower front end valance, as shown and described.


**DESCRIPTION**

FIG. 1 is a front perspective view of a lower front end valance showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom view.

It will be understood that the broken lines shown in the drawings illustrate portions of the lower front end valance that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**

- (56) **References Cited**  
U.S. PATENT DOCUMENTS  
D698,708 S \* 2/2014 Rugar ..... D12/169  
D701,800 S \* 4/2014 Campbell ..... D12/169  
D711,653 S \* 8/2014 Pacetti ..... D3/318  
D712,322 S \* 9/2014 Kobayashi ..... D12/169  
D712,805 S \* 9/2014 Murkett ..... D12/169  
D742,119 S \* 11/2015 Batista ..... D3/318  
D744,915 S \* 12/2015 Curic ..... D12/169



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D803,738 S \* 11/2017 Granlund ..... D12/169  
D807,255 S \* 1/2018 Piscitelli ..... D12/169

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7