



US00D887990S

(12) **United States Design Patent**  
**Wang**

(10) **Patent No.:** **US D887,990 S**  
(45) **Date of Patent:** **\*\* Jun. 23, 2020**

(54) **DATA CABLE**

(71) Applicant: **AUTEL ROBOTICS CO., LTD.,**  
Shenzhen (CN)

(72) Inventor: **Yongshuai Wang,** Shenzhen (CN)

(73) Assignee: **AUTEL ROBOTICS CO., LTD.,**  
Shenzhen (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/647,051**

(22) Filed: **May 9, 2018**

(30) **Foreign Application Priority Data**

Nov. 27, 2017 (CN) ..... 2017 3 0589303

(51) **LOC (12) Cl.** ..... **14-99**

(52) **U.S. Cl.**  
USPC ..... **D13/153; D14/433**

(58) **Field of Classification Search**  
USPC ..... D13/110, 118, 120, 123, 133,  
D13/137.1-137.4, 139.1-139.8, 146, 147,  
D13/153, 154, 184; D14/432, 433, 435.1,  
D14/438, 439

CPC ..... H01R 25/00; H01R 25/003; H01R 27/00;  
H01R 27/02; H01R 31/005; H01R 24/28;  
H01R 24/20

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,838,808 A \* 6/1989 Fujiura ..... H01R 13/6275  
439/357  
D356,997 S \* 4/1995 Lehmann ..... D13/146  
D447,735 S \* 9/2001 Nakashima ..... D13/153

D448,734 S \* 10/2001 Nakashima ..... D13/153  
D449,582 S \* 10/2001 Nakashima ..... D13/153  
D454,841 S \* 3/2002 Nakashima ..... D13/146  
D705,178 S \* 5/2014 Olsson ..... D13/153  
D714,226 S \* 9/2014 Chang ..... D13/147  
D726,118 S \* 4/2015 Petrick ..... D13/147  
D753,060 S \* 4/2016 Miller ..... D13/110  
D861,618 S \* 10/2019 Zhu ..... D13/153  
2009/0088011 A1 \* 4/2009 Hsieh ..... H01R 12/721  
439/171  
2016/0380387 A1 \* 12/2016 Wu ..... H01R 13/6658  
439/95

\* cited by examiner

*Primary Examiner* — Jeffrey D Asch  
*Assistant Examiner* — Rebekah A Caruso

(57) **CLAIM**

The ornamental design for a data cable, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of a data cable showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a perspective view thereof.

The data cable may be used on an electronic device such as unmanned aerial vehicles (UAVs), remote controls, mobile phones, computers, tablet computers for data transformation, signal transmission, power transmission and so on.

The data cable is shown with a symbolic break in its length. The appearance of any portion of the article between the break lines forms no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7