



US00D888025S

(12) **United States Design Patent**  
**Kanatsu et al.**

(10) **Patent No.:** **US D888,025 S**  
(45) **Date of Patent:** **\*\* Jun. 23, 2020**

(54) **MICROPHONE STAND**

(71) Applicant: **Audio-Technica Corporation**, Tokyo (JP)

(72) Inventors: **Ryo Kanatsu**, Tokyo (JP); **Sean Bryson**, Tokyo (JP)

(73) Assignee: **AUDIO-TECHNICA CORPORATION**, Tokyo (JP)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/651,828**

(22) Filed: **Apr. 11, 2019**

(30) **Foreign Application Priority Data**

Oct. 12, 2018 (JP) ..... 2018-022462

(51) **LOC (12) Cl.** ..... **14-01**

(52) **U.S. Cl.**  
USPC ..... **D14/229**; D14/227

(58) **Field of Classification Search**

USPC ..... D14/229, 211, 224, 218, 227, 149, 159,  
D14/240, 358, 251, 253, 432, 434;  
D13/147, 184; 248/121, 188.1, 188.7,  
248/161, 173, 523, 414, 158, 441.1,  
248/176.1, 346.01; 181/153; 403/104,  
403/327; 411/508; 404/10; 455/569.1,  
455/90.3, 575.1; D21/324, 331, 430  
CPC . H04R 25/00; H04B 1/38; H04B 1/00; H04B  
7/00; A47G 29/00; A47G 33/12  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D170,545 S \* 10/1953 Palo ..... D14/227  
D292,600 S \* 11/1987 Wagner ..... D13/171  
D307,587 S \* 5/1990 Marcune ..... D14/159  
D362,240 S \* 9/1995 Heidorn ..... D14/357

D368,097 S \* 3/1996 Heberling ..... D14/242  
D381,024 S \* 7/1997 Hinzmann ..... D14/225  
D384,672 S \* 10/1997 Heberling ..... D14/242  
D386,473 S \* 11/1997 England ..... D13/147  
D397,120 S \* 8/1998 Liou ..... D14/229  
5,799,096 A \* 8/1998 Liao ..... H04R 1/083  
381/355  
5,805,709 A \* 9/1998 Liou ..... H04R 1/08  
381/355

(Continued)

**FOREIGN PATENT DOCUMENTS**

CN 305092628 \* 4/2019

*Primary Examiner* — Paula Allen Greene

(74) *Attorney, Agent, or Firm* — W&C IP



(57) **CLAIM**

The ornamental design for a microphone stand, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a microphone stand; FIG. 2 is a rear perspective view of the microphone stand; FIG. 3 is a front elevational view of the microphone stand; FIG. 4 is a rear elevational view of the microphone stand; FIG. 5 is a top plan view of the microphone stand; FIG. 6 is a bottom plan view of the microphone stand; FIG. 7 is a right side elevational view of the microphone stand; FIG. 8 is a left side elevational view of the microphone stand; and, FIG. 9 is a sectional view of the microphone stand taken along line 9-9 of FIG. 5, wherein FIG. 9 illustrates a profile in the two-dimensional plane of the cross-section and omits illustration of anything internal system in the microphone stand and outside the two-dimensional plane. The broken lines depict environment that forms no part of the claimed design.

**1 Claim, 9 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D413,865 S \*

9/1999 Laufer

D13/154

D413,893 S \*

9/1999 Luzbetak

D13/147

D415,769 S \*

10/1999 Waldner

D13/152

D418,512 S \*

1/2000 Lin

D14/227

D420,362 S \*

2/2000 Pedraza

D14/242

D434,374 S \*

11/2000 Ko

D13/123

D435,041 S \*

12/2000 Coker

D14/240

D437,314 S \*

2/2001 DeLeon

D14/242

D452,863 S \*

1/2002 Madsen

D14/433

D462,676 S \*

9/2002 Sodling

D14/240

D470,839 S \*

2/2003 Tuhkanen

D14/240

D473,220 S \*

4/2003 Smith

D14/240

6,609,686 B2 \*

8/2003 Malizia

F16B 7/1409  
248/125.8

D484,120 S \*

12/2003 Yin

D14/240

6,666,427 B2 \*

12/2003 Hennessey

F16M 11/28  
248/125.8

6,669,162 B1 \*

12/2003 Sears

F16B 21/09  
248/188.1

6,719,091 B1 \*

4/2004 Brown

H04R 1/345  
181/153

D490,404 S \*

5/2004 Chan

D14/240

D497,318 S \*

10/2004 Strand

D10/104.1

D514,553 S \*

2/2006 Yang

D14/229

7,103,392 B2 \*

9/2006 Fletcher

H04M 1/725  
379/159

7,412,069 B2 \*

8/2008 Workman

H04R 1/08  
381/363

D576,637 S \*

9/2008 Gofman

D14/168

D577,334 S \*

9/2008 Kim

D13/108

D595,735 S \*

7/2009 Green

D14/168

D599,379 S \*

9/2009 Ryu

D14/203.3

7,628,260 B2 \*

12/2009 Dickinson

B60W 10/026  
192/13 R

D623,641 S \*

9/2010 Harden

D14/253

D624,905 S \*

10/2010 Lee

D14/229

D630,192 S \*

1/2011 Heppener

D14/226

8,066,531 B2 \*

11/2011 Kanatsu

H01R 13/6588  
439/607.34

D656,130 S \*

3/2012 Bailey

D14/227

D685,355 S \*

7/2013 Holleman

D14/240

D703,617 S \*

4/2014 Janky

D13/154

D715,778 S \*

10/2014 Yilin

D14/227

D718,748 S \*

12/2014 Pan

D14/159

D725,086 S \*

3/2015 Giczy

D14/149

D765,061 S \*

8/2016 Heil

D14/229

D845,283 S \*

4/2019 Bryson

D14/228

2002/0048384 A1 \*

4/2002 Chen

H04R 1/08  
381/363


2005/0272476 A1 \*

12/2005 Eaton


H04R 1/08  
455/569.1

\* cited by examiner


***FIG. 1***




**FIG. 2**




***FIG. 3***




***FIG. 4***




**FIG. 5**




***FIG. 6***



***FIG. 7***



***FIG. 8***



***FIG. 9***

