



US00D888153S

(12) **United States Design Patent** (10) **Patent No.:** **US D888,153 S**
Scalisi (45) **Date of Patent:** **** Jun. 23, 2020**

(54) **PAD HOLDER**

(71) Applicant: **Anthony M. Scalisi**, East Falmouth, MA (US)

(72) Inventor: **Anthony M. Scalisi**, East Falmouth, MA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/711,536**

(22) Filed: **Oct. 31, 2019**

Related U.S. Application Data

(62) Division of application No. 29/627,586, filed on Nov. 28, 2017, now Pat. No. Des. 869,555.

(51) **LOC (12) Cl.** **19-02**

(52) **U.S. Cl.**
USPC **D19/86**

(58) **Field of Classification Search**
USPC D19/75-92, 99, 135, 183; D3/206, 304, D3/306, 310, 315; D6/675.5, 683, 683.1; D7/631, 637-641; D9/427, 432, 611; D14/253; D8/107

CPC .. B43M 99/00; B43M 99/001; B43M 99/003; B43M 99/006; B43M 99/007; B43M 99/008; B43M 99/009; B42D 3/12; B42D 3/16; B42D 3/18; B43K 23/001; B43K 23/002; A47B 55/00; A47B 63/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 2,126,311 A * 8/1938 Cowen A01M 3/02 43/137
- D158,812 S 5/1950 Solomon
- D159,884 S * 8/1950 Baldanza D9/424
- D163,463 S 5/1951 Lewis

- D199,044 S * 9/1964 Jackson D19/92
- 3,747,756 A * 7/1973 Wheeler B07C 7/04 209/703
- D228,083 S 8/1973 Longarzo
- 4,115,669 A 9/1978 Cali
- D262,507 S * 1/1982 Wooldridge D7/698
- D267,654 S 1/1983 Nadel
- D275,446 S 9/1984 McSwain
- D279,341 S 6/1985 Simmons
- D292,220 S 10/1987 Wen
- D303,398 S 9/1989 Lowinger
- D306,319 S * 2/1990 Evenson D19/77
- D317,624 S * 6/1991 Jurinjak D19/135
- D362,273 S * 9/1995 Trombly D19/75
- 5,549,405 A 8/1996 Krahn
- D376,520 S 12/1996 Morin
- D378,951 S 4/1997 Youngblood
- D421,379 S * 3/2000 Sanford D8/107

(Continued)

Primary Examiner — Elizabeth A. Albert

(74) *Attorney, Agent, or Firm* — Lando & Anastasi, LLP


(57) **CLAIM**

The ornamental design for a pad holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the pad holder;
 FIG. 2 is a front view of the pad holder;
 FIG. 3 is a rear view of the pad holder;
 FIG. 4 is a left side view of the pad holder;
 FIG. 5 is a right side view of the pad holder;
 FIG. 6 is a top view of the pad holder;
 FIG. 7 is a bottom view of the pad holder;
 FIG. 8 is a perspective view of the pad holder illustrating a separation between a first portion and a second portion; and,
 FIG. 9 is a perspective view of the pad holder illustrating a separation between a first portion and a second portion.
 The broken lines shown in the drawings illustrate portions of the pad holder and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D432,308 S * 10/2000 Lockhart D3/201
6,155,425 A 12/2000 You
D438,252 S * 2/2001 Trombly D19/77
D480,755 S 10/2003 Rosenbaum
8,381,941 B2 * 2/2013 Barton B65D 75/366
206/484
D704,242 S 5/2014 Seo et al.
D709,130 S 7/2014 Dolan et al.
D709,131 S 7/2014 Dolan et al.
D721,073 S 1/2015 Alesi et al.
D739,396 S 9/2015 Wheatley et al.
D783,025 S 4/2017 Nielson
D799,826 S * 10/2017 DeVita A61J 7/02
D3/304
D856,776 S * 8/2019 Jun D8/107

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9