



US00D888439S

(12) **United States Design Patent** (10) **Patent No.:** **US D888,439 S**
Petrucelli (45) **Date of Patent:** **** Jun. 30, 2020**

(54) **THREADING CHAIR**

(71) Applicant: **P.S. Pibbs, Inc.**, Flushing, NY (US)

(72) Inventor: **Giulio Petruccelli**, Flushing, NY (US)

(73) Assignee: **P.S. Pibbs, Inc.**, Flushing, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/654,300**

(22) Filed: **Jun. 22, 2018**

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/334**

(58) **Field of Classification Search**
USPC D6/334, 335, 349, 353, 354, 356, 360,
D6/361, 362, 364, 365, 366, 371, 374,
D6/375, 377, 379, 380, 381
CPC A47C 4/02; A47C 4/04; A47C 4/52; A47C
11/00; A47C 15/002; A47C 1/03; A47C
7/002

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D177,765 S * 5/1956 Romito D6/360
D180,393 S * 6/1957 Dlouhy D6/360
2,989,280 A * 6/1961 Newman A47C 3/24
297/344.2
5,494,334 A * 2/1996 Zvonik A47C 1/04
297/344.19
D502,016 S * 2/2005 Goodworth D6/360
D586,593 S * 2/2009 Petruccelli D6/360
D660,619 S * 5/2012 Petruccelli D6/360
D661,134 S * 6/2012 Petruccelli D6/360
D664,793 S * 8/2012 Petruccelli D6/360
D670,514 S * 11/2012 Petruccelli A47C 3/24
D6/360

D769,658 S * 10/2016 Petruccelli A47C 7/62
D6/360
2018/0070726 A1 * 3/2018 Osweiler A47C 7/62
2019/0357682 A1 * 11/2019 Osweiler A47C 7/62

OTHER PUBLICATIONS

Pibbs 847 Karim Threading Chair, dated: Jun. 20, 2019, found on Feb. 15, 2020 at https://www.buyritebeauty.com/pibbs-847-karim-threadingchair/matchtype=&network=g&device=c&adposition=&keyword=1711&productid=1711&utm_source=google&utm_medium=cpc&utm_campaign=Product%20Listing%20Ads%20Chairs&gclid=EALalQobChMlmaqU87PU5wlVAp.*

* cited by examiner

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Gerald E. Hespos;
Michael J. Porco; Matthew T. Hespos

(57) **CLAIM**

The ornamental design for a threading chair, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a threading chair in accordance with my design;

FIG. 2 is a perspective view of the threading chair of FIG. 1 in a reclined position;

FIG. 3 is a front elevational view of the threading chair shown in FIG. 1;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines in the drawings including illustration of the pedestal and the reclining and height adjusting mechanisms depict portions of the threading chair that form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8