



US00D888547S

(12) **United States Design Patent** (10) **Patent No.:** **US D888,547 S**
Sung (45) **Date of Patent:** **** Jun. 30, 2020**

(54) **PACKAGING CONTAINER**(71) Applicant: **Dong-A Mool San Co., Ltd.**, Yangju, Gyeonggi-do (KR)(72) Inventor: **Jong Hun Sung**, Seoul (KR)(73) Assignee: **Dong-A Mool San Co., Ltd.**, Yangju, Gyeonggi-do (KR)(**) Term: **15 Years**(21) Appl. No.: **29/638,681**(22) Filed: **Feb. 28, 2018**(30) **Foreign Application Priority Data**

Jan. 30, 2018 (KR) 30-2018-0005088

(51) **LOC (12) Cl.** **09-03**(52) **U.S. Cl.**USPC **D9/414**(58) **Field of Classification Search**USPC D9/414, 416, 418, 420, 423, 424, 425,
D9/428, 431, 454, 629, 711, 737, 761;
D7/500, 538, 546, 549, 554.2, 601, 602,
D7/615, 629, 701
CPC . B65D 5/00; B65D 5/66; B65D 5/325; B65D
5/5253; B65D 5/5246; B65D 5/6605;
B65D 5/6632; B65D 5/6644; B65D 1/26;
B65D 1/34; B65D 2543/00092; B65D
81/30; B65D 81/34; B65D 81/3415

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D398,847 S * 9/1998 Wyslotsky D9/418
D415,024 S * 10/1999 McCann D7/584
D417,149 S * 11/1999 Fletcher D9/4155,992,619 A * 11/1999 Milano B65D 75/32
206/216
D471,100 S * 3/2003 Guzowski D9/425
D476,852 S * 7/2003 Willis D7/565
D479,097 S * 9/2003 Willis D7/565
D479,672 S * 9/2003 Wichmann D7/565
D489,254 S * 5/2004 Kocis D7/550.1
D493,105 S * 7/2004 Childs D9/416
D539,137 S * 3/2007 Lin D9/429
D597,838 S * 8/2009 Stuart D9/435
D628,060 S * 11/2010 Wallach D9/424
D630,897 S * 1/2011 Jarvis D7/407
D646,967 S * 10/2011 Tamshe D9/425
D684,043 S * 6/2013 Brown D9/424
D741,169 S * 10/2015 Lutz D9/429
D764,270 S * 8/2016 Paton D9/416
D791,545 S * 7/2017 Li D7/554.2

(Continued)

Primary Examiner — Wan Laymon*Assistant Examiner* — Clint A Samuel(74) *Attorney, Agent, or Firm* — Mintz Levin Cohn Ferris Glovsky and Popeo, P.C.; Steven M. Jensen(57) **CLAIM**

The ornamental design for a packaging container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a packaging container according to the present invention.

FIG. 2 is a front view of the packaging container of FIG. 1.

FIG. 3 is a rear view of the packaging container of FIG. 1.

FIG. 4 is a left side view of the packaging container of FIG. 1.

FIG. 5 is a right side view of the packaging container of FIG. 1.

FIG. 6 is a top view of the packaging container of FIG. 1; and,

FIG. 7 is a bottom view of the packaging container of FIG. 1.

1 Claim, 7 Drawing Sheets

(56)

References Cited

U.S. PATENT DOCUMENTS

D807,704 S * 1/2018 Epstein D7/554.2
D815,520 S * 4/2018 Heo D9/428
D857,492 S * 8/2019 Dominion D9/425
D865,510 S * 11/2019 Mathias D9/416

* cited by examiner

FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

