



US00D888565S

(12) **United States Design Patent** (10) **Patent No.:** **US D888,565 S**
Hudson et al. (45) **Date of Patent:** **** Jun. 30, 2020**

(54) **STORAGE CONTAINER**

(56) **References Cited**

(71) Applicant: **THE SHERWIN-WILLIAMS COMPANY**, Cleveland, OH (US)

U.S. PATENT DOCUMENTS

(72) Inventors: **Richard D. Hudson**, North Olmsted, OH (US); **James J. Johnson**, Akron, OH (US); **Gustavo A. Morales**, Brunswick, OH (US); **Edward R. Goodwin, Jr.**, Westlake, OH (US); **Michael C. Lambertson, Jr.**, Aurora, OH (US); **Charles T. Buckel, Jr.**, Valley City, OH (US)

D340,189 S	10/1993	Fletcher	
D378,494 S	3/1997	Miller	
5,855,304 A	1/1999	Dean	
D431,472 S	10/2000	Cain	
D460,845 S	7/2002	Bergman	
6,708,838 B2	3/2004	Bergman	
D505,076 S	5/2005	Logan	
6,983,862 B2 *	1/2006	Nottingham	 B01F 15/00733 206/508
D548,603 S *	8/2007	Young	 D9/531

(Continued)

(73) Assignee: **The Sherwin-Williams Company**, Cleveland, OH (US)

Primary Examiner — Shannon W Morgan

Assistant Examiner — Keith Frank

(74) *Attorney, Agent, or Firm* — Tucker Ellis LLP; Carlos Garritano

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/678,836**

The ornamental design for a storage container, as shown and described.

(22) Filed: **Jan. 31, 2019**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/643,165, filed on Apr. 5, 2018, now Pat. No. Des. 843,218, which is a continuation of application No. 29/558,784, filed on Mar. 21, 2016, now Pat. No. Des. 816,504.

(51) **LOC (12) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/528; D9/575**

(58) **Field of Classification Search**

USPC D7/598, 600; D9/454, 516, 522–524, D9/526–528, 530–533, 537, 540, 544, D9/545, 549, 575, 715, 719, 741–745; D32/53, 53.1, 54; D23/211, 211.1, 212
CPC B44D 3/12; B65D 25/32; B65D 21/0231; B65D 23/102; B65D 47/06

See application file for complete search history.

FIG. 1 is a perspective view of a storage container showing our new design;

FIG. 2 is a perspective rear view of the storage container illustrated in FIG. 1;

FIG. 3 is a rear perspective view of the storage container illustrated in FIG. 1;


FIG. 4 is a left side view of the storage container illustrated in FIG. 1 with the right side view being a mirror-image thereof; and,

FIG. 5 is a perspective view of the storage container illustrated in FIG. 1.

The broken lines in the drawings showing the storage container illustrate the portions of the storage container that form no part of the claimed designed.

The dash-dot-dash lines in the drawings represent boundary lines between claimed and unclaimed areas of the storage container.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D573,475 S * 7/2008 Nottingham D9/531
D623,954 S 9/2010 Hawry
D653,548 S 2/2012 Wycoff
D691,052 S 10/2013 Minghetti
D722,885 S * 2/2015 Mooney D9/543
D744,186 S * 11/2015 Gringer D32/53.1
D751,913 S 3/2016 Seecof
9,290,310 B2 3/2016 Sinn
9,446,884 B2 * 9/2016 McGinley A47G 19/12
D783,917 S * 4/2017 Gringer D32/53.1
D794,445 S * 8/2017 Yourist D23/211.1
D800,565 S * 10/2017 Bonaventura D9/524
D802,851 S * 11/2017 Donegan D30/124
2007/0187412 A1 * 8/2007 Gruskin B65D 1/10
220/500
2007/0187413 A1 8/2007 Gruskin
2007/0187420 A1 * 8/2007 Gruskin B65D 25/2897
220/771
2007/0261983 A1 * 11/2007 Flanagan-Kent
B65D 21/0231
206/510

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5