



US00D888578S

(12) **United States Design Patent**
Chupak

(10) **Patent No.:** **US D888,578 S**

(45) **Date of Patent:** **** Jun. 30, 2020**

(54) **BOTTLE**

2543/00092; B65D 2543/00101; B65D
2543/00111; Y10T 29/49826

(71) Applicant: **Exal Corporation**, Youngstown, OH
(US)

See application file for complete search history.

(72) Inventor: **Thomas Chupak**, Youngstown, OH
(US)

(56) **References Cited**

(73) Assignee: **Exal Corporation**, Youngstown, OH
(US)

U.S. PATENT DOCUMENTS

(**) Term: **15 Years**

D217,585 S *	5/1970	Lambelet	D9/500
D604,640 S *	11/2009	Renz	D9/500
D653,125 S *	1/2012	Murphy	D9/776
D792,769 S *	7/2017	Bischoff	D9/500
D808,268 S *	1/2018	Bischoff	D9/500
D822,489 S *	7/2018	Bischoff	D9/500

(21) Appl. No.: **29/686,496**

* cited by examiner

(22) Filed: **Apr. 4, 2019**

Primary Examiner — Keli L Hill

(51) **LOC (12) Cl.** **09-01**

(74) *Attorney, Agent, or Firm* — Paul D. Bangor, Jr.;
Clark Hill, PLC

(52) **U.S. Cl.**

USPC **D9/776; D9/500**

(58) **Field of Classification Search**

USPC D9/500, 502, 516, 530, 537, 539, 542,
D9/549, 763-783

CPC B21D 51/26; B21D 51/383; B29C 66/71;
B65D 1/00; B65D 1/02; B65D 1/12;
B65D 1/14; B65D 1/40; B65D 1/44;
B65D 1/023; B65D 1/0223; B65D 1/165;
B65D 1/238; B65D 1/246; B65D 1/253;
B65D 7/04; B65D 21/0209; B65D
21/0233; B65D 25/00; B65D 25/28;
B65D 41/0457; B65D 41/17; B65D
53/06; B65D 75/56; B65D 79/005; B65D
2501/0036; B65D 2543/00064; B65D
2543/00074; B65D 2543/00083; B65D

(57) **CLAIM**

The ornamental design for a bottle, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the bottle of the present design;


FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a front elevation view thereof, the left side, right side and rear elevation views being identical;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5