



US00D888579S

(12) **United States Design Patent** (10) **Patent No.:** **US D888,579 S**
Huang (45) **Date of Patent:** **** Jun. 30, 2020**

(54) **MONITOR FOR COMBINED CLOCK,
CALENDAR AND THERMO-HYGROMETER**

D738,756 S * 9/2015 Jiang D10/50
D744,433 S * 12/2015 Baumgartner D10/49
D813,693 S * 3/2018 Walker D10/53

(71) Applicant: **FUJIAN YOUTONG INDUSTRIES
CO., LTD.**, Fuzhou, Fujian (CN)

FOREIGN PATENT DOCUMENTS

(72) Inventor: **Don Huang**, Fuzhou (CN)

CN 201530464015 * 11/2015
JP D2010-23447 * 9/2010

(73) Assignee: **FUJIAN YOUTONG INDUSTRIES
CO., LTD.**, Fuzhou, Fujian (CN)

OTHER PUBLICATIONS

(**) Term: **15 Years**

Amazon, YCOO Alarm Clock, posted May 22, 2017, [online],
[visited Feb. 7, 2020]. Internet, <URL: [https://www.amazon.co.uk/
Newest-Version-Options-Dimming-Display/dp/B0711Y1P92/ref=
olp_product_details?_encoding=UTF8&me=>](https://www.amazon.co.uk/Newest-Version-Options-Dimming-Display/dp/B0711Y1P92/ref=olp_product_details?_encoding=UTF8&me=>) (Year: 2017).*
Amazon, Yuanguo Wireless Weather Station, posted Aug. 30, 2018,
[online], [visited Feb. 7, 2020]. Internet, <URL: [https://www.amazon.
co.uk/Yuanguo-Wireless-Temperature-Thermometer-Thermo-
hygrometer/dp/B07GZKBVMC/>](https://www.amazon.co.uk/Yuanguo-Wireless-Temperature-Thermometer-Thermo-hygrometer/dp/B07GZKBVMC/>) (Year: 2018).*

(21) Appl. No.: **29/662,150**

(22) Filed: **Sep. 4, 2018**

(51) **LOC (12) Cl.** **10-01**

(52) **U.S. Cl.**

USPC **D10/3; D10/53**

(58) **Field of Classification Search**

USPC ... D10/57, 58, 55, 53, 52, 50, 51, 49, 15, 2,
D10/21, 24, 3, 4, 46; D14/171, 170, 169,
D14/138 R, 159, 126

CPC G01W 1/10; G04G 9/00; G04G 9/0064;
G04G 99/006; G04G 99/00; G04G 21/00;
G04G 21/02; G04G 21/025; G01K
2207/00; G01K 2207/02; G01K 2207/04;
G01K 2207/06; G01K 2207/08

See application file for complete search history.

* cited by examiner

Primary Examiner — Sheryl Lane

Assistant Examiner — Samantha N Wood

(74) *Attorney, Agent, or Firm* — Leong C. Lei

(57) **CLAIM**

The ornamental design for a monitor for combined clock,
calendar and thermo-hygrometer, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a monitor for combined
clock, calendar and thermo-hygrometer showing my present
design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 a top view thereof;

FIG. 7 is a bottom view thereof; and,


FIG. 8 is a rear perspective view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D255,996 S * 7/1980 Tamura D10/15
D518,744 S * 4/2006 Rosen D10/50
D525,887 S * 8/2006 Sanoner D10/57
D527,279 S * 8/2006 Wong D10/15
D592,982 S * 5/2009 Burt D10/50
D673,467 S * 1/2013 Lee D10/50
8,537,847 B2 * 9/2013 Fujii G04C 3/002
370/252
D729,793 S * 5/2015 Hickok D14/126
D738,229 S * 9/2015 Jiang D10/50

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8