



US00D888687S

(12) **United States Design Patent**
Xu et al.

(10) **Patent No.:** **US D888,687 S**
(45) **Date of Patent:** **** Jun. 30, 2020**

- (54) **AUDIO INPUT/OUTPUT DEVICE**
- (71) Applicant: **Rokid Corporation Ltd**, Grand Cayman (KY)
- (72) Inventors: **Jian Xu**, Hangzhou (CN); **Chengkan Lu**, Hangzhou (CN)
- (73) Assignee: **ROKID CORPORATION LTD**, Grand Cayman (KY)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/650,882**
- (22) Filed: **Jun. 11, 2018**
- (51) **LOC (12) Cl.** **14-01**
- (52) **U.S. Cl.**
USPC **D14/216**
- (58) **Field of Classification Search**
USPC D14/167, 168, 170–172, 188, 194–196, D14/204, 209.1, 210–216, 219, 221, 222, D14/224, 239, 496
CPC B60R 11/0217; G06F 1/1688; G10K 9/22; G10K 11/004; H03F 1/327; H04M 1/03; H04M 1/035; H04N 5/642; H04N 21/4852; H04R 1/02; H04R 1/06; H04R 1/021; H04R 1/025; H04R 1/026; H04R 1/028; H04R 1/105; H04R 1/323; H04R 1/403; H04R 1/2803; H04R 1/2834; H04R 5/02; H04R 7/20; H04R 9/06; H04R 9/025; H04R 2201/021; H04R 2400/00; H04R 2400/07; H04R 2499/11; H04R 2499/13; H04R 2499/15; H04S 3/00; H04S 7/30
See application file for complete search history.

- D612,361 S * 3/2010 Wright D14/203.1
- D625,709 S * 10/2010 Yamamoto D14/223
- D766,750 S * 9/2016 Fadell D10/106.3
- D809,951 S * 2/2018 Yang D10/104.1
- D822,004 S * 7/2018 Tan D14/216
- D830,856 S * 10/2018 Golnik D10/30
- D832,821 S * 11/2018 Jeon D14/215
- D855,040 S * 7/2019 Fu D14/242
- D859,363 S * 9/2019 Chalabi D14/216
- D859,364 S * 9/2019 Chalabi D14/216
- D862,417 S * 10/2019 Chalabi D14/216
- D867,334 S * 11/2019 She D14/216
- D878,325 S * 3/2020 Paterson D14/203.1
- D879,737 S * 3/2020 Suzuki D14/149
- D883,329 S * 5/2020 Shi D14/496

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Getech Law LLC; Jun Ye

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D433,994 S * 11/2000 Jobs D13/110
- D602,915 S * 10/2009 Song D14/218

(57) **CLAIM**


The ornamental design of audio input/output device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an audio input/output device in accordance with the present invention;
 FIG. 2 is a front view thereof;
 FIG. 3 is a right view thereof;
 FIG. 4 is a rear view thereof;
 FIG. 5 is a left view thereof;
 FIG. 6 is a top view thereof, and,
 FIG. 7 is a bottom view thereof.

The features shown in broken lines in the various Figures are for illustrating environmental structure and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7