



US00D888774S

(12) **United States Design Patent**
Asahara

(10) **Patent No.:** **US D888,774 S**

(45) **Date of Patent:** **** Jun. 30, 2020**

(54) **FLUID PRESSURE CYLINDER**

(71) Applicant: **SMC Corporation**, Tsukubamirai-shi,
Ibaraki (JP)

(72) Inventor: **Hiroyuki Asahara**, Tsukuba (JP)

(73) Assignee: **SMC CORPORATION**, Tokyo (JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/678,183**

(22) Filed: **Jan. 25, 2019**

(30) **Foreign Application Priority Data**

Aug. 3, 2018 (JP) 2018-017068

(51) **LOC (12) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**
USPC D15/7-9; D23/231, 232, 225
CPC F02M 37/04; F02M 31/14; F04D 29/4286;
F15B 15/149; F15B 15/16; F15B
15/1414; F15B 14/1919; F15B 15/26
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D295,753 S * 5/1988 LaBair D15/7
- D301,583 S * 6/1989 Herner D15/7
- D303,393 S * 9/1989 Stoll D15/7
- D370,683 S * 6/1996 Stahlman D15/7
- D378,214 S * 2/1997 Ikumi D15/143
- D378,680 S * 4/1997 Ikumi D15/7
- D380,217 S * 6/1997 Jermeay D15/5
- D408,420 S * 4/1999 Buter D15/7
- D417,457 S * 12/1999 Asahara D15/7
- D420,683 S * 2/2000 Suzuki D15/7
- D428,617 S * 7/2000 Hariwara D15/7
- D499,348 S 12/2004 Matsumoto et al.

- D572,282 S * 7/2008 Yaegashi D15/143
- D575,175 S * 8/2008 Suzuki
- D584,324 S * 1/2009 Yaegashi D15/143
- D643,855 S * 8/2011 Taniguchi D15/7
- D643,856 S * 8/2011 Taniguchi D15/7
- D669,097 S * 10/2012 Hariwara D15/7
- D669,098 S * 10/2012 Hariwara D15/7
- D682,901 S * 5/2013 Peschel D15/143
- D699,759 S * 2/2014 Peschel D15/7
- D699,760 S * 2/2014 Peschel D15/7
- D699,761 S * 2/2014 Peschel D15/7
- D757,120 S * 5/2016 Kudo D15/7
- D760,805 S * 7/2016 Monden D15/7
- D770,595 S 11/2016 Suzuki et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 3030412 3/1995

Primary Examiner — Mitchell I. Siegel

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch
& Birch, LLP


(57) **CLAIM**

The ornamental design for a fluid pressure cylinder, as
shown and described.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a fluid pressure cylinder showing my new design;
FIG. 2 is a rear, bottom and right side perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a left side view thereof; and,
FIG. 8 is a right side view thereof.
The broken lines depict portions of the fluid pressure cylinder that form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D772,302	S	*	11/2016	Kudo	D15/7
D780,228	S	*	2/2017	Kudo	D15/7
D780,229	S	*	2/2017	Kudo	D15/7
D794,164	S		8/2017	Suzuki et al.		
D805,559	S	*	12/2017	Kudo	D15/7
D805,560	S	*	12/2017	Kudo	D15/7
D819,700	S	*	6/2018	Kudo	D15/7
D820,321	S	*	6/2018	Kudo	D15/7
D825,616	S	*	8/2018	Monden	D15/9
D826,285	S	*	8/2018	Yaegashi	D15/9
D861,041	S	*	9/2019	Morita	D15/7
D861,042	S	*	9/2019	Morita	D15/7
D867,399	S	*	11/2019	Morita	D15/7
D869,511	S	*	12/2019	Iwama	D15/9
2017/0298931	A1	*	10/2017	Kudo	F15B 15/2861
2019/0195248	A1	*	6/2019	Kudo	F15B 15/1428

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

